

PRESENTED BY



m.marcus
architectural hardware

F6 Extra^s **ESSENTIAL DEFENCE**





F6 Extra^S



BS EN1303
TS007-1:2014+A2:2018
KM 544418



FINISHES as standard:

- 7= Polished Brass
- 9= Satin Nickel

Do you need a basic level of security with good master keying capability?


F6 ExtraS is the right cylinder to manage doors which do not need high security defence but which will protect against certain external attacks thanks to additional features within the cylinder itself.

Carries British Standard Kite mark certification TS007 1 Star and Secured by Design accreditation.

Equipped with Sacrificial Cut and Metal Strengthening Bar for additional defence and resistance against snapping.

Approximate Master Keying capabilities are as follows:

- Simple MK and differs allows for approx. 1200 differs under a single Master Key*
- It can be possible to divide the master key system into sub groups. This reduces the number of differs available as they have to be split between the sub groups*
- **The addition of a common entrance reduces the differ capability in every case above
- Differ cylinders provided with 3 keys
- Master keyed or Keyed alike cylinders provided with 2 keys



LEGEND TO SYMBOLS:



ATTACK RESISTANCE



TESTED TO EN1303 STANDARDS



RESISTANCE AGAINST DRILLING



RESISTANCE AGAINST PULLING



RESISTANCE AGAINST MANIPULATION



ANTI-BUMP



KITE MARK CERTIFIED TO ENHANCED SECURITY
PERFORMANCE REQUIREMENTS

BS EN1303 TS007-1:2014+A2:2018 KM 544418



SECURED BY DESIGN
POLICE PREFERRED SPECIFICATION

EN1303 Classifications

Category of use
Key Strength & Cyclic Durability
Door Mass
Fire Resistance
Safety
Corrosion Resistance
Key Related Security
Attack Resistance

1	6	0	B	0	C	5	D
---	---	---	---	---	---	---	---




IS82F60/A



EURO PROFILE

Finishes: 7= Brass
9= Satin Nickel



off centre Din
standard Cam

F6A 6 PIN EURO PROFILE DOUBLE CYLINDERS



C	D...	30	35	40	45	50	55	60	65	70	75
30		•		•	•	•	•	•	•		•
35			•	•	•	•	•			•	
40	•			•	•	•	•	•			
45					•	•	•				
50						•					
70	•										

IS82F60/A



EURO PROFILE

Finishes: 7= Brass
9= Satin Nickel



8 Position Cam

F6A 6 PIN EURO PROFILE HALF CYLINDERS



C	D	30	35	40	45	50	55
10		•	•	•	•	•	•

IS82F629/A



EURO PROFILE

Finishes: 7= Brass
9= Satin Nickel



off centre Din
standard Cam

F6A 6 PIN EURO PROFILE THUMBURNS

IS82F659/A



IS82F689/A



IS82F619/A



C	D...	30	35	40	45	50	55	60	65	70	75
30		•		•	•	•	•	•		•	•
35			•	•	•	•	•			•	
40	•		•	•	•	•	•	•			
45	•		•	•	•	•	•				
50	•		•	•	•	•					
55	•		•	•	•						
60				•							
70	•		•								

F6A 6 PIN SCANDINAVIAN PROFILE



off centre Din
standard Cam

INTERNAL Scandinavian Profile cylinder **IS81S-51A329**
EXTERNAL Scandinavian Profile cylinder **IS81S-21A329**

RIM CYLINDER



IS8100-35009 Nickel
IS8100-3500L Brass

F6 Extra Keys

020 609.U F6 Key Blank
020 609DK F6 Differ Key
020609MK F6 Plus Master Key



F6 Extra Key Identifiers

IS-8004EFSR Red
IS-8004EFSB Blue
IS-8004EFSY Yellow



Security Escutcheon

IS-SSDKC **TS007 2 STAR Security Escutcheon**
(Please note: This product **cannot** be used with **R50** keys)

F6 Extra^S

Security Escutcheon



+



=

Premier Security Protection

F6 Extra^{S³}

Security Escutcheon



+



=

Supreme Security Protection



QUALITY MANAGEMENT ENVIRONMENTAL MANAGEMENT



Certificate No. FM 35735 Certificate No. EMS 572656
ISO 9001:2015 ISO 14001:2015



ISEO[®]
ULTIMATE ACCESS TECHNOLOGIES

PRESENTED BY



m.marcus
architectural hardware

M.Marcus Ltd. Unit 7, Narrowboat Way, Dudley. DY2 0XQ
Admin Tel: +44 1384 457900

Hardware Sales Tel: +44 1384 247844 Hardware Sales Fax: +44 1384 242252
Hardware Sales e-mail: sales@m-marcus.com

Electrical Sales Tel: +44 1384 247845 - Electrical Sales Fax: +44 1384 243312
Electrical Sales e-mail: electsales@m-marcus.com

Iseo Security Sales Tel: +44 1384 247833 - Iseo Sales Fax: +44 1384 253687
Iseo Sales e-mail: iseosales@m-marcus.com

Our Website: <https://www.m-marcus.com>

Follow us: @heritagebrass



We reserve the right to amend products & sizes without notice and all dimensions provided are approximate. Colours shown in this catalogue may vary slightly from actual product due to photographic and colour reproduction. All errors and omissions excepted.