

# m.marcus

architectural hardware







# Matt Bronze Finish

An aged finish on brass creating a vintage appearance, yet one that also looks outstanding in contemporary schemes. Over a period of time the bronze colour will lighten along any edges and surfaces that are frequently touched and create a naturally aged appearance highlighting frequently touched areas and exposing the brass below.



With russet hues and a brass undertone this variation on brass retains a warm and mellow character but adds age and maturity by highlighting the variance of shades making each piece both alluring and unique.



# Satin Nickel Finish

With its honeyed grey tone created by brushed nickel plating on brass, this finish closely matches Stainless Steel but offers a warm and subtle alternative which is popular in traditional and modern décors.



With its subtle golden hue this is a mellow alternative to polished chrome. The finish is not coated and will oxidise naturally.

If not regularly buffed with a soft cloth this finish will subtlety change over time by taking on an aged patina.



Polished Brass Finish

Warm, mellow with a sense of heritage and comfort this highly polished finish is opulent without being flamboyant.

Polished Brass coordinates perfectly with traditional décor.



# Satin Brass Finish

A modern alternative finish to traditional polished brass this attractive brushed texture beautifully mellows the colour of solid brass and adds warmth to both a traditional and a soft contemporary décor.



# Polished Chrome Finish

A bold classic contemporary finish on Solid Brass. The mirror effect reflects light and colours of the surroundings and will complement perfectly any fashionable colour scheming. Polished Chrome is easy to clean and is low maintenance.



Satin Chrome Finish

The brush marks of satin chrome will appeal to those who favour an industrial yet contemporary chrome finish.

Satin Chrome Finish is also less prone to finger marks than polished chrome.



# Combination Finishes

Apollo [AP] combines Polished Chrome and Satin Chrome
Jupiter [JP] combines Gold Plate with Satin Nickel
Mayfair [MF] combines Polished Brass with Satin Brass
Mercury [MC] combines Polished Nickel with Satin Nickel
Chrome/Brass Finish [CB] combines Polished Chrome with Polished Brass

These blends of two finishes will appeal to those who like contrast and distinction.


Adam	25	Kendal	14	Aydon	42	Richmond	41
Algarve	24	Lisboa	17	Aylesbury	41	Reeded	40
Ambassador	15	Luna	23	Chelsea	43	Suffolk	40
Astoria	11	Maya	24	Goodrich	41	Victoria	40
Atlantis	12	Meridian	20	Hampstead	43	Westminster	39
Bauhaus	13	Metro	13	Kensington	39	Whitehall	43
Bedford	19	Sandown	18	Mayfair	39	Porcelain	Range
Buckingham	20	Saturn	16	MODEL		ON DI A	
Centaur	15	Savoy	20	MORTIC Balmoral	CE KNOB 44	Charlston	1 E 44
Charlbury	18	Savoy Long	25	Broadway	44	Citatistoii	77
Эесо	14	Sophia	21	Diodaway	.,		
Delta	14	Sutton	23				
Diplomat	15	Tiffany	11	EXTER DOOR	NAL Hardw.	ARE	1
Edwardian	19	Trident	13	Letter Plates			4
Sainsborough	25	Verona	17		Centre Door Kn	obs / 49,50	
Georgian	25	Victoria	22		Numerals / 50		
Gloucester	23	Vienna	16	·			
Henley	16	Waldorf	12	BRASS	HINGES		
lilton	21	Windsor	22	BOLTS			
loward	18			WINDO	OW FITT	INGS	
					8 & DOC		
LEVERS	S ON ROS	E	26-37	110010	a boo	, K 51 01	υ
Algarve	29	Ellipse	27		IANDLE	S	5
Alicia	28	Gio	31	Large Pulls /			
Amazon	36	Harmony	30	Flush Pulls /	62		
Bauhaus	31	Linear	35	CABIN	CABINET HARDWARE6		
Bauhaus SQ	36	Lisboa	34	Cabinet Knob		Cabinet Dro	
Bauhaus - LP	37	Pyramid	27	Drawer Pulls	/ 68	Cabinet Pull	•
Bedford	29	Roma	33				
Bellagio	31	Sophia	33	SOLID	BRONZI	E RUSTI	C . 7
Celia	30	Sutton	30	BLACK	IRON R	USTIC	8
Centaur	27	Trident	27				
Century	32	Trident - LP	37		D BLACK Colle		0
'hallan nan	28	Tiffany	32	TODOR	COLLE	CHON.	9
nallenger	33	Turin	28	ELECTI	RICAL A	CCESSOI	RIES
_			trated)	Studio Concea	aled Fixing - (N	Many more rang	es are a
Charlbury	35	Vela (not illus	trateu,				
Charlbury Colonial	35 30	Vela (not illus Vienna	28	LOCKS	& LATC	HES	103
Challenger Charlbury Colonial Columbus Crystal					& LATC		
Charlbury Colonial Columbus	30	Vienna	28	Finishes & Pro	& LATC		

### Astoria



AST5910 Lever Latch AST5930 Bathroom Set







Charlston Page - 44



Broadway Page - 44



Tiffany on Rose Page - 32












TIF5230 Bathroom Set

TIF5248 Euro Profile















11

# **Atlantis**



#### Trident Low Profile



TRI1300 Lever Lock TRI1310 Lever Latch TRI1330 Bathroom Set

TRI1348 Euro Profile



126

127

#### Metro Low Profile



MET4910 Lever Latch MET4930 Bathroom Set MET4948 Euro Profile

MET4900 Lever Lock



### Bauhaus Low Profile



BAU7300 Lever Lock BAU7310 Lever Latch BAU7330 Bathroom Set BAU7348 Euro Profile



- Low profile plates are only suitable for minimum 44mm door thickness
- A 38mm bore will be required to accept spring mechanism



123

### Delta



**DEL6000** Lever Lock **DEL6010** Lever Latch **DEL6030** Bathroom Set

**DEL6048** Euro Profile



126

108

120

### Kendal



KEN6800 Lever Lock KEN6810 Lever Latch KEN6830 Bathroom Set KEN6848 Euro Profile



# Deco




DEC3000 Lever Lock **DEC3010** Lever Latch **DEC3030** Bathroom Set **DEC3048** Euro Profile





### Ambassador



# **Diplomat**





#### Centaur





# Henley



HEN1200 Lever Lock HEN1210 Lever Latch HEN1230 Bathroom Set

HEN1248 Euro Profile



#### Saturn




SAT1000 Lever Lock SAT1010 Lever Latch SAT1030 Bathroom Set SAT1048 Euro Profile





# Saturn Long

SAT2000 Lever Lock SAT2010 Lever Latch SAT2030 Bathroom Set SAT2048 Euro Profile





# Vienna



VIE3300 Lever Lock VIE3310 Lever Latch VIE3330 Bathroom Set VIE3348 Euro Profile



### Verona






MM625 Euro Profile



109

# Verona Long MM824 Lever Lock





# Lisboa



17

MM991 Lever Lock
MM992 Lever Latch
MM993 Bathroom Set
MM994 Euro Profile





116

# Charlbury

V7050 Lever Lock
V7060 Lever Latch
V7070 Bathroom Set

V7066 Euro Profile



107


#### Howard





# Sandown





### Edwardian



## **Bedford**






#### **Bedford Short**



in all finishes shown

### Meridian

V300 Lever Lock V313 Lever Latch V330 Bathroom Set V327 Euro Profile






# Buckingham

W4200 Lever Lock
W4210 Lever Latch
W4220 Bathroom Set
W4248 Euro Profile

Satin Brass













100

# Savoy



# Sophia





# Sophia Short





# Hilton





### Windsor



# Windsor Short

in all finishes shown






## Gloucester



V6050 Lever Lock V6060 Lever Latch

V6070 Bathroom Set

V6066 Euro Profile



117

### Luna



LUN5300 Lever Lock LUN5310 Lever Latch LUN5330 Bathroom Set LUN5348 Euro Profile



# Sutton



V6052 Lever Lock V6054 Lever Latch V6058 Bathroom Set V6057 Euro Profile



# Maya



MAY7600 Lever Lock
MAY7610 Lever Latch
MAY7630 Bathroom Set
MAY7648 Euro Profile



117

118

118

# Algarve



MM924 Lever Lock MM927 Lever Latch MM928 Bathroom Set MM925 Euro Profile



# Algarve Long



MM7200 Lever Lock
MM7210 Lever Latch
MM7230 Bathroom Set
MM7248 Euro Profile





# Savoy Long



V750 Lever Lock

**V760** Lever Latch **V765** Bathroom Set

V757 Euro Profile



### Adam



# Gainsborough



# Georgian



# Georgian Short







Lever on Rose




# **Pyramid**





# Ellipse



# Trident







140 65

Mercury Finish SN with PN edge





# Volo



# Algarve





# Bedford




### Columbus



### Sutton









Diameter 46mm



V4049 Turn & Release







V4007 Key Escutcheon



V4009 Oval Profile



Euro Profile

# Century



#### **CEN1924**



#### Tiffany





Diameter 53mm Accessories to match Century & Tiffany





Turn & Release

**ERD7030** 

ERD7000 Key Escutcheon



ERD7020 Euro Profile



V4043 Contemporary Turn & Release





V4046 Indicator Turn & Release



V4044 Turn & Release



32

127 56

129

V4048 Indicator Turn & Release 4304EHPCHWEHAD

Diameter 35mm

Tel: 01384 247844









V1018 Turn & Release



# Roma








# Charlbury





# Sophia

V1900







109 52




V2003 SWAROVSKI crystal lever





# Lisboa



#### Diameter 50mm





Turn & Release









Oval Profile



**V5020** Euro Profile











V4040 Turn & Release



Diameter 53mm







V6720 Turn & Release



V6722 Key Escutcheon



**V6724** Euro Profile

# Linear

**DEC5430** 









Size 54 x 54mm







**DEC7030** Turn & Release




**DEC7000** Key Escutcheon



**DEC7020** Euro Profile

### Bauhaus SQ





### Amazon





### Delta SQ





Size 54 x 54mm















**SQ5002** Key Escutcheon

**SQ5004** Euro Profile

**SQ4043** Turn & Release

**SQ4035** Turn & Release



### **Bauhaus Low Profile**









### Delta Low Profile





### Trident Low Profile





### Please note:

- Low profile plates are only suitable for minimum 44mm door thickness
- A 38mm bore will be required to accept spring mechanism

Size 54 x 54mm





BAU1555 Turn & Release



BAU1556 Keyhole Escutcheon



BAU1558 Euro Profile





Mortice Knobs

• All mortice knobs are sprung one side only unless otherwise stated

### Westminster



**WES970** 





• All Mortice Knobs shown on this page are unsprung and will need to be installed with a 3" heavy duty latch.





# Mayfair

**MAY960** 























# Kensington

**KEN980** 

























### Suffolk



- All mortice knobs on this page are sprung one side only and will need to be installed with a lightly sprung or standard 3" Tubular Latch
- All RIM knob sets used with RIM Locks are unsprung. See inset image and separate product code







# Goodrich



• All Mortice Knobs shown on this page are sprung on one side and will need to be installed with a lightly sprung or standard 3" Tubular Latch

### G00986



# Richmond



PUMOO

RHM988 67 |



# Aylesbury







68

### AYD1324



• All Mortice Knobs shown on this page are sprung on one side and will need to be installed with a lightly sprung or standard 3" Tubular Latch



V1022

V1010

59 x 20mm Projection 15mm

Covered Oval Escutcheon

Round Open Escutcheon Diameter 32mm





**S640** Shaped Fingerplate 305 x 77mm



Fingerplate 282 x 63mm



**V740 305** 305 x 76mm **V740 500** 500 x 76mm



V740 Fingerplate





V1015 Thumbturn & Release Diameter 45mm






**V972** Reeded Covered Escutcheon Diameter 33mm



 All Mortice Knobs shown on this page are sprung on one side and will need to be installed with a lightly sprung or standard 3" Tubular Latch



# Chelsea concealed fixing



# HAM8361 HAM8361 Folished Chrome Folished Chrome Folished Nickel Folished Nickel







• Low profile plates are only suitable for minimum 44mm door thickness

**Balmoral** 

A 38mm bore will be required to accept spring mechanism

# Plain White Porcelain

5010



• All Mortice Knobs shown on this page are unsprung and will need to be installed with a 3" heavy duty latch.





# Gold Line Porcelain 6010 Polished Chrome Antique Brass Satin Nickel



# Polished Chrome Antique Brass Matt Bronze Porcelain Rose

# Cream Crackle Porcelain



• All Mortice Knobs shown on this page are unsprung and will need to be installed with a 3" heavy duty latch.



**V1022**Covered Oval Escutcheon 59 x 20mm *Projection* 15mm











59 60

C

**5030** Plain White Covered Escutcheon 63 x 21mm



**6030** Gold Line Covered Escutcheon 63 x 21mm



**7030** White Crackle Covered Escutcheon 63 x 21mm



**8030** Cream Crackle Covered Escutcheon 63 x 21mm



**5000** Plain White Shaped Fingerplate 280 x 77mm



**6000** Gold Line Fingerplate 274 x 75mm



**7000** White Crackle Fingerplate 280 x 77mm



**8000** Cream Crackle Fingerplate 280 x 77mm



**5032** Plain White Cabinet Knob Top diameter 32mm

**5038** Plain White Cabinet Knob Top diameter 38mm



**6032** Gold Line Cabinet Knob Top diameter 32mm

**6038** Gold Line Cabinet Knob Top diameter 38mm



**7032** White Crackle Cabinet Knob Top diameter 32mm

**7038** White Crackle Cabinet Knob Top diameter 38mm



**8032** Cream Crackle Cabinet Knob Top diameter 32mm

**8038** Cream Crackle Cabinet Knob Top diameter 38mm



### **EXTERNAL DOOR HARDWARE - LETTER PLATES**





















# V850

Letter Plate

V850 8" 203 x 76mm Aperture 144 x 38mm C to C: 172mm **V850 10**" 254 x79mm Aperture 188 x 42mm C to C: 219mm **V85010.4**"254 x 102mm

Aperture 208 x 50mm C to C: 230mm 305 x 102 mm V850 12" Aperture 248 x 60mm

C to C: 275mm V850 13" 331 x 80mm Aperture 258 x 36mm C to C: 295mm

**V850 14**" 356 x 127mm Aperture 287 x 64mm C to C: 320mm

V850 16" 411 x 125mm 325 x 70mm Aperture C to C: 367mm



### V830 10"

Postal Knocker

254 x 79mm 188 x 42mm Aperture C to C: 219mm





### V842 11"

Letter Plate Gravity Flap 280 x 80mm

207 x 48mm Aperture C to C: 243mm





### V843 11"

Gravity Letter Plate

280 x 78mm 215 x 42mm Aperture: C to C: 250mm





### V845

Embossed Letter Plate

254 x 101mm Aperture 172 x 46mm

C to C: 220mm





V860 Interior Letterflap V860 280 (Small)

280 x 83mm For letter plates up to 10"

V860 299 (Large)

299 x 83mm For letter plates up to 12"









V933 Cylinder Pull 84 x 45mm



V1180 Oblong Bell Push 83 x 33mm



V930 Cylinder Pull 84 x 45mm



### EXTERNAL DOOR HARDWARE - DOOR KNOCKERS





K1210 Lion Knocker 177 x 107mm



K1310 Slim Knocker 165 x 40mm











V908 Square Centre Door Knob Base 89mm Knob 76mm Projection 72mm



V901 Centre Door Knob Base 78mm Knob 68mm Projection 80mm



V900 Centre Door Knob Base 79mm Knob 77mm Projection 80mm



Centre Door Knob Base 82mm Knob 71mm Projection 83mm



V880 Faceted Centre Door Knob Base 66mm Knob 57mm Projection 81mm



V905 Centre Door Knob Base 89mm Knob 76mm Projection 80mm

C1565 Alphabet Pin Fixing 51mm (2")



C1560 Screw Fixing 76mm (3")



Screw Fixing 76mm (3")





C1568 Self Adhesive 51mm (2")

Screw Fixing 76mm (3")



C1567 Screw Fixing 51mm (2") To place an order use the correct Reference Number adding the finish required at the end.

eg. When ordering 4" x 4" Parliament Hinges in the Polished Chrome finish, use code HG99-385-PC

Note: Minimum order quantities apply

= Natural Brass

DPW = Double Phosphor Washered

R	REF. NO.	DIMENSIONS	Leaf	DESCRIPTION			Supp	lied w	THIT SC	rews		7	
	ILI . INO.	DIMENSIONS	thickness		PC-	SC-	SN	P	<b></b>	PN	<b>1</b>		<b>(</b>
		1 <sup>1</sup> / <sub>2</sub> " x <sup>7</sup> / <sub>8</sub> " 2" x 1 <sup>1</sup> / <sub>8</sub> "	1.2mm	Extruded Brass	•	•		•					•
O → O	G99-120	2 <sup>1</sup> / <sub>2</sub> " x 1 <sup>3</sup> / <sub>8</sub> "	1.3mm 1.4mm	Extruded Brass Extruded Brass	•	•	•	•	•		•	•	•
	G99-125 G99-130		2.5mm 3.0mm	Extruded Brass Extruded Brass	•	•	•	•	•		•	•	•
<b>⊙</b>		0											
⊕ <b>J</b> ⊕	G99-345	3" x 2"	3.2mm	Double Phosphor Washered	•	•	•	•	•		•	•	•
● He	G99-350	4" x 2 <sup>5</sup> /8"	3.7mm	Double Phosphor Washered	•	•	•	•	•		•	•	•
	G99-355	4" X 3"	4.2mm	Double Phosphor Washered									
<b>⊕    ⊕</b>													
<b>●</b> H	G00-385	4" x 2" x 4"	4.0mm	Parliament	•	•	•	•	•		•	•	
● H	G99-390	4" x 3" x 5"	4.0mm	Parliament	•	•	•	•	•		•	•	
● <b>●</b> H	G99-395	4" x 4" x 6"	4.0mm	Parliament									
<ul><li>A</li><li>●</li></ul>													
H	G99-400 G99-405		3.0mm 3.0mm	Thrust Bearings (Steel Pin) Thrust Bearings (Steel Pin)	•	•	•	•	•	•	•	•	
<b>⊕ H ⊕</b>	G99-405	4 X 4	3.011111	Tillust bealings (Steel Fill)									
● 📗 ●													
<b>O</b>	R88-400	3" x 2"	2.5mm	Double Phosphor Washered									
● T ● PI	R88-405	4" x 2 <sup>5</sup> /8"	3.5mm	Double Phosphor Washered	•	•	•	•	•	•	•	•	•
PI	R88-410	4" x 3"	3.5mm	Double Phosphor Washered									•

Supplied with screws



**C1582** 1<sup>1</sup>/<sub>4</sub>" Wide Straight Bolt Sizes: 4" 6" 8"



**C1584**11/2" Wide
Straight Bolt
Sizes: 4" 6" 8"



C1594 1<sup>1</sup>/<sub>2</sub>" Wide Necked Bolt Sizes: 6"



**C1592** 1<sup>1</sup>/<sub>4</sub>" Wide Necked Bolt Sizes: 4" 6"



C1688 Espagnolette Bolt 1m & 1.5m bar provided



V1018 Thumbturn & Release Diameter 35mm with 5mm spindle



Oval Thumbturn w/o Bolt Rose with splined spindle Diameter 36mm



RB7 Rack Bolt Backset 33mm






**BT15** Thumbturn & Release Diameter 36mm





C1686 Slide Bolt 66 x 19mm








C1685 Flat Bolt







Internal Diameter 25mm

Length 102mm

Sash Lift

Tel: 01384 247844

54 x 42mm

Fanlight Catch

Keep 18 x 29mm Catch53 x 29mm

### HAT & COAT HOOKS

All items all finishes





Single Robe Hook Projection 43mm



V1060 Double Robe Hook Width 64mm



V1056 Hat & Coat Hook Projection 86mm



V1062 Double Robe Hook Width 78mm



V1050 Hat & Coat Hook Height 130mm Projection 51mm



V1044 Robe Hook Height 45mm Projection 62mm



V1064 Robe Hook Height 52mm Projection 44mm



V1065 Hat & Coat Hook Height 90mm Projection 45mm



V1079 Coat Hooks on Plate Width 223mm Projection 64mm



**DOOR STOPS** 





V1080 Oval Floor Mounted Door Stop Base diameter: 47mm Base depth: 6mm Height: 28mm



V1088 Round Floor Mounted Door Stop Base diameter: 38mm Base depth: 4mm Height: 30mm (including buffer)



Floor Mounted Door Stop 30mm Square (including buffer) Height: 35mm



V1082 Floor Mounted Door Stop Base: 38 x 38mm Top: 38 x 42mm (including buffer) Overall Height: 42mm (including buffer)



V1190

Wall Mounted Door Stop Projection: 64mm (including buffer)

### V1190 76

Projection: 76mm (including buffer)



### V1081 64

Cylinder Wall Mounted Door Stop Without Rose Projection: 75mm (including buffer)

### V1081 76

Projection: 87mm (including buffer)



### V1084

Square Wall Mounted Door Stop 65 x 16mm Projection: 76mm (including buffer)





Cylinder Wall Mounted Door Stop With Rose

### V119264

Projection: 76mm (including buffer)

### V1192 76

Projection: 87mm (including buffer)



V1074

Gravity Door Latch Projection: 83mm





### Deco

Deco							[1]
	ITEM V1334 305 V1334 483	Length 305 483	C to C 279 432	Projection 50 50		ANT	
Matt Bronze	Satin Brass	Polished Nickel	Satin Nickel	Antique Brass	Satin Chrome	Polished Brass	Polished Chrome



ITEM V4150 305 V4150 457

Length 305 457



Projection 58 58

C to C 279 432





# Traditional

ITEM	Length	C to C	Projection
V1376 330	330	279	63
V1376 482	482	432	63



# Urban

ITEM	Length	C to C	Projection
V1390 305	305	279	53
V1390 457	457	432	53







### Deco

Deco							[1]
	ITEM V1334 305 V1334 483	Length 305 483	C to C 279 432	Projection 50 50		ANT	
Matt Bronze	Satin Brass	Polished Nickel	Satin Nickel	Antique Brass	Satin Chrome	Polished Brass	Polished Chrome



ITEM V4150 305 V4150 457

Length 305 457



Projection 58 58

C to C 279 432





# Traditional

ITEM	Length	C to C	Projection
V1376 330	330	279	63
V1376 482	482	432	63



# Urban

ITEM	Length	C to C	Projection
V1390 305	305	279	53
V1390 457	457	432	53


























**RD2322** Round Flush Pull Diameter 57mm



SQ2327 Square Flush Pull 55 x 55mm

### Also available - Italian Made Push Fit Round & Square Flush Pulls for Pocket Doors

Available in finishes:



Matt Bronze





Satin Nickel



Antique Brass



Satin Chrome

W

51 51



Polished Brass

Satin Chrome



Polished Chrome



Please view online at www.m-marcus.com to see the full range









ITEM

C1820 6 C1820 4


































C1165 Pocket Door Edge Pull

















Our Cabinet Knobs & Pulls catalogue, available on request, shows our full range of cabinet hardware. May also be viewed online at www.m-marcus.com




Cabinet Knobs & Pulls

### **CABINET KNOBS**













































### **CABINET KNOBS**



































































Tel: 01384 247844













### **CABINET DROPS**

























### DRAWER PULLS



































ITEM	Length	CTC	Base Ø	Projection	
C2533 96	121	96	25	38	
C2533 152	177	152	25	38	
C2533 203	228	203	25	38	
C2522 254	280	254	25	20	





ITEM	Length	CTC	Projection	
C0334 96	113	96	35	
C0334 160	177	160	35	
C0334 203	220	203	35	
C0334 254	271	254	35	








Matt Bronze	Satin Brass	Polished Nickel	Satin Nickel	Antique Brass	Satin Chrome	Polished Brass	Polished Chrome
-------------	-------------	-----------------	--------------	---------------	--------------	----------------	-----------------


I I EIVI	Length	CIC	Projection	Ø	
C0312 101	117	101	40	15	
C0312 160	175	160	40	15	
C0312 203	218	203	40	15	
C0312 254	269	254	40	15	














































# Solid Bronze Rustic

These striking products are made using molten Bronze flowing into cavities within a sand mould. This casting process leaves light surface indentations to bestow a rustic appearance, which contrasts in texture to other smoothly finished products. A light bronze patina is applied by hand on the cast bronze creating a country-style appearance. Over a period of time the bronze colour will lighten along any edges and surfaces that are frequently touched creating a naturally aged appearance as the bronze below is slowly exposed. When untouched, the finish may darken as the bronze oxidises. As this is a living finish, products will not be identical, there will be slight variation in hue and tone.

#### DOOR FURNITURE





### Ironbridge

RBL3600 Lever Lock RBL3610 Lever Latch RBL3630 Bathroom Set RBL3648 Euro Profile











Size 45 x 45mm





RBL155 Turn and Release





RBL158 Euro Profile

**RBL159** Key Escutcheon



RBL465.10<sup>1</sup>/<sub>2</sub>" Letter Plate Size: 265 x 106mm C to C 242mm Aperture: 205 x 46mm



RBL467.131/2" Letter Plate Size: 343 x 96mm C to C 292mm Aperture: 235 x 46mm



RBL862 270 Interior Letterflap Size: 270 x 88mm For letter plates up to 12"

RBL862 348 Interior Letterflap Size: 348 x 88mm For letter plates up to 14"



Door Hinge

**RBL414 308** Size:12", 308mm **RBL414 381** Size:15", 381mm **RBL414 457** Size:18", 457mm



# 0123456789

**RBL351** 

Screw Fixing 76mm (3")



**RBL339** 

Ring Knocker Inner diameter inner: 77mm Outer diameter : 107mm



RBL338


Slim Knocker 167 x 40mm



**RBL901** 

Centre Door Knob









**RBL342** Cylinder Pull Size: 90 x 46mm



RBL791 Studs

• 19mm • 40mm RBL348 Bell Push Size: 103 x 32mm



#### WINDOW FITTINGS



#### **GATE LATCHES**



#### MORTICE KNOBS DOOR FURNITURE



Knowle RBL4555







45

**RBL555** Turn and Release





**Alveley RBL4975** 






**RBL553** Euro Profile Key Escutcheon Diameter 45mm Diameter 45mm



**RBL554** Covered Escutcheon Diameter 45mm Suitable for use on Mortice Deadbolts Only

 All mortice knobs on this page are unsprung and will need to be installed with a 3" heavy duty latch

#### COAT HOOKS AND DOOR FURNITURE ACCESSORIES



















**RBL154** Cabin Hook • 106mm • 153mm



**RBL346 Bauhaus** Pull Handle

CODE	C to C	Length	Projection
RBL346 227	203	227	62
RBL346 305	281	305	62
RBL346 457	432	457	66





RBL349 Pull Handle

CODE	C to C	Length	Projection
RBL349 227	140	227	56
RBL349 305	184	305	56
RBL349 457	292	457	62





# **CABINET HARDWARE**



RBL3622 Diameter Projection



**RBL6389** Height Width Ring Diameter 42



RBL3880 Diameter Projection 32 24 38 24



**RBL3985** Diameter Projection 32 32 38 35



RBL390			
Diameter	Projection		
32	30		
38	32		



KBL3990			
Diameter	Projection		
32	30		
38	35		



**RBL3674** Diameter Projection 32 24 38 24



**RBL179** Diameter Projection 32 32 38 35









**RBL1150** Cranked Pull Handle

CODE	Length	Projection
RBL1150 254	254	55
RBL1150 305	305	62



#### **CABINET PULLS**



**RBL376** 

CODE	C to C	Length	Projection
RBL376 96	96	125	32
RBL376 152	152	184	32
RBL376 203	203	235	32



CODE	C to C	Length	Projection
RBL331 96	96	108	35
RBL331 152	152	165	35



**RBL340** 

CODE	C to C	Length	Projection
RBL340 96	96	114	38
RBL340 152	152	172	38



C to C Length Projection RBL337 96 114 30 96 RBL337 152 152 171 30 RBL337 203 203 222 30 273 RBL337 254 254 30



RBL317

CODE	C to C	Length	Projection
RBL317 96	96	114	30
RBL317 152	152	171	30



**RBL1090** 

CODE	C to C	Length	Projection
RBL1090 102	~	102	25
RBL1090 152	~	152	36
RBL1090 203	~	203	36
RBL1090 254	~	254	36



**RBL301** 

CODE	C to C	Length	Projection
RBL301 96	96	133	36
RBL301 140	140	190	36
RBL301 178	178	241	36
RBL301 216	216	292	36



**RBL1092** 

CODE	C to C	Length	Projection
RBL1092 102	~	102	27
RBL1092 152	~	152	27
RBL1092 203	~	203	27
RBL1092 254	~	254	27



**RBL361** 

CODE	C to C	Length	Projection
RBL361 96	96	133	35
RBL361 140	140	191	35



RBL1145

CODE	C to C	Length	Projection
RBL1145 159	~	159	36
RBL1145 210	~	210	36



RBL345


CODE	C to C	Length	Projection
RBL345 96	96	114	35
RBL345 152	152	171	35
RBL345 203	203	222	35



# Black Tron Rustic

Using traditional sand casting methods to create contemporary designs, this range of Malleable Iron hardware is unique, combining rustic charm with current trends.

#### DOOR FURNITURE





## Ironbridge

FB3600 Lever Lock FB3610 Lever Latch FB3630 Bathroom Set FB3648 Euro Profile











Size 45 x 45mm



FB155 Turn and Release



FB158 Euro Profile



FB159 Key Escutcheon



FB465.101/2" Letter Plate Size: 265 x 106mm C to C 242mm Aperture: 205 x 46mm



FB467.13<sup>1</sup>/<sub>2</sub>" Letter Plate Size: 343 x 96mm C to C 292mm Aperture: 235 x 46mm



FB862 270 Interior Letterflap Size: 270 x 88mm

For letter plates up to 12"

FB862 348

Interior Letterflap

Interior Letterflap Size: 348 x 88mm For letter plates up to 14"



Door Hinge

**FB414 308**Size:12", 308mm **FB414 381**Size:15", 381mm **FB414 457**Size:18", 457mm



Decorative Door Hinge

**FB416 308** Size:12", 308mm **FB416 400** Size:15<sup>1</sup>/<sub>2</sub>",400mm



# 567

FB351

Screw Fixing 76mm (3")



#### FB339

Ring Knocker Inner diameter inner: 77mm Outer diameter: 107mm



**FB338** 

Slim Knocker 167 x 40mm



#### FB901

Centre Door Knob















FB342 Cylinder Pull Size: 90 x 46mm



FB791 Studs

- 19mm
- 40mm





#### WINDOW FITTINGS

87





#### MORTICE KNOBS DOOR FURNITURE



Knowle



Alveley



70



45

FB555 Turn and Release



Diameter 45mm

FB556 FB553
Euro Profile Key Escutcheon

Diameter 45mm



FB554
Covered Escutcheon
Diameter 45mm
Suitable for use on
Mortice Deadbolts Only

• All mortice knobs on this page are unsprung and will need to be installed with a 3" heavy duty latch

#### COAT HOOKS AND DOOR FURNITURE ACCESSORIES





FB1685
Door Bolt
• 6" 152mm
• 8" 203mm

FB121
Door Stop

50 20
74
(including buffer)



FB154 Cabin Hook

• 106mm





**FB346 Bauhaus** Pull Handle

CODE	C to C	Length	Projection
FB346 227	203	227	62
FB346 305	281	305	62
FB346 457	432	457	66





FB349 Pull Handle

CODE	C to C	Length	Projection
FB349 227	140	227	56
FB349 305	184	305	56
FB349 457	292	457	62



#### **CABINET HARDWARE**





FB6389 Height Width Ring Diameter 42



FB3985 Diameter Projection 32 32 35 38



FB3990 Diameter Projection 30 35 32 38



FB179 Diameter Projection 32 32 35



FB613 Diameter Projection 25 30 32 34 38 38





FB3622 Diameter Projection



FB3880 Diameter Projection 32 24 24 38



FB390 Diameter Projection 30 32 32 38



FB3674 Diameter Projection 32 38 24



FB3894 Diameter Projection

FB1150 Cranked Pull Handle

CODE	Length	Projection
FB1150 254	254	55
FB1150 305	305	62





#### **CABINET PULLS**



FB376

CODE	C to C	Length	Projection
FB376 96	96	125	32
FB376 152	152	184	32
FB376 203	203	235	32
FB376 254	254	286	32



CODE	C to C	Length	Projection
FB331 96	96	108	35
FB331 152	152	165	35
FB331 203	203	216	35
FB331 254	254	267	35



FB341

CODE	C to C	Length	Projection
FB341 96	96	108	32
FB341 152	152	165	32
FB341 203	203	216	32
FB341 254	254	267	32



FB337

CODE	C to C	Length	Projection
FB337 96	96	114	30
FB337 152	152	171	30
ED227 202	202	222	20



FB1090

CODE	C to C	Length	Projection
FB1090 102	~	102	25
FB1090 152	~	152	36
FB1090 203	~	203	36
FB1090 254	~	254	36



CODE	C to C	Length	Projection
FB317 96	96	114	30
FB317 152	152	171	30
FB317 203	203	222	30



CODE	C to C	Length	Projection
FB347 96	96	114	21
FB347 152	152	171	21
FB347 203	203	222	21



FB1092

CODE	C to C	Length	Projection
FB1092 102	~	102	27
FB1092 152	~	152	27
FB1092 203	~	203	27
FB1092 254	~	254	27



FB361

CODE	C to C	Length	Projection
FB361 96	96	133	35
FB361 140	140	191	35
FB361 178	178	241	35
FB361 216	216	292	35



#### FB1145

CODE	C to C	Length	Projection
FB1145 159	~	159	36
FB1145 210	~	210	36
FR1145 260	~	260	36



FB345

CODE	C to C	Length	Projection
FB345 96	96	114	35
FB345 152	152	171	35
FB345 203	203	222	35
FB345 254	254	273	35



# Tudor Collection

A collection of durable malleable iron door hardware products. The black powder coated finish on traditional designs provide an appearance ideal for restoration projects.





The Shropshire









#### **Oval Mortice Knob**

TC550 Base 70 x 51mm Knob 63 x 38mm

• These mortice knobs are unsprung and will need to be installed with a 3" heavy duty latch

### **Ball Mortice Knob**

TC970

Base diameter 62mm Knob diameter 47mm





TC542 Covered Escutcheon 57 x 30mm

TC545 Escutcheon 79 x 28mm



TC544 Escutcheon 49 x 31mm

TC547 Euro Profile Escutcheon 60 x 40mm









#### EXTERNAL DOOR HARDWARE



TC340 Cylinder Pull 74 x 44mm



TC540 Cylinder Cover 138 x 60mm





TC345 Bell Push 125 x 33mm

TC107

Door Chain

138 x 82mm



Letter Plate with Knocker

193 x 45mm

302 x 109mm - Cto C 250mm

TC36510" Letter Plate 254 x 76mm CtoC 225mm Aperture 202 x 43mm

TC562

Aperture

TC365101/2" Letter Plate 262 x 108mm CtoC 230mm Aperture 197 x 45mm

TC365131/2" Letter Plate 343 x 96mm CtoC300mm Aperture 240 x 55mm



**TC350** Centre Door Knob Base diameter: 64mm Knob diameter: 63mm Projection: 64mm



TC335 Ring Knocker 127mm



**TC770** Letter Plate Fleur de Lys 362 x 79mm - CtoC 238mm Aperture 197 x 43mm






TC772 Letter Plate Fleur de Lys with Knocker 371 x 112mm - CtoC 285mm 208 x 48mm Aperture



TC860 Interior Letterflap 256 x 84mm For letter plates up to 10"


TC355 Numerals 102mm

TC356 Numerals 76mm



TC153 Cabin Hook

• 106mm • 153mm



#### **HOOKS**



TC695 Coat Hook 45mm



TC697 Coat Hook 102 x 49mm



Hat & Coat Hook 142 x 30mm



TC670 Hat & Coat Hook 152 x 45mm

#### WINDOW HARDWARE



TC675 MP/HP Mortice and Hook plate 118mm Casement Fastener



TC490 MP/HP Mortice and Hook plate 128mm Casement Fastener



TC580

Casement Stay
• 10" 254mm
• 12" 308mm



TC380

Casement Stay
• 10" 254mm
• 12" 308mm



TC480

Casement Stay
• 10" 254mm
• 12" 308mm

#### DOOR PULLS AND CABINET HARDWARE



TC383 Pull handle •152mm •204mm



TC3855 Pull handle 128mm TC3856 Pull handle



**TC386**Pull handle
259 x 47mm





TC532

Diameter	Projection
25	30
32	34
38	38



TC534

Diameter	Projection
32	32
38	35



TC625	
Height	Width
85	56



TC458

Width
40
meter 35



TC626

Height	Width
65	61
Ring Dia	meter 65



TC549

Height	Width
80	36



TC384 Pull Handle 223 x 61mm



Electrical Accessories

An extensive collection of Solid Brass Electrical Accessories in a wide range of finishes and styles that fully complements our door hardware offering to achieve an integrated overall look for any project undertaken. Full details of our extensive Electrical Accessories ranges can be found on our website, or by requesting a copy of our Electrical Accessories catalogue.


# STUDIO RANGE











	ICEALED FIXING					L	
10 AMI	P Rocker Switches	V01 200 PD	V02 200 DC	V22 200 CC	VOE 200 CM	V01 200 AD	25
	1 Gang 2 Way Switch	Y01.200.PB	Y02.200.PC	Y33.200.SC	Y05.200.SN	Y91.200.AB	+
	2 Gang 2 Way Switch	Y01.210.PB	Y02.210.PC	Y33.210.SC	Y05.210.SN	Y91.210.AB	25
	3 gang 2 Way Switch	Y01.220.PB	Y02.220.PC	Y33.220.SC	Y05.220.SN	Y91.220.AB	25
	4 gang 2 Way Switch	Y01.230.PB	Y02.230.PC	Y33.230.SC	Y05.230.SN	Y91.230.AB	35
	1 Gang Intermediate	Y01.201.PB	Y02.201.PC	Y33.201.SC	Y05.201.SN	Y91.201.AB	25
13 AMP Switched Sockets							
	Single 13 AMP socket Single 13 AMP socket	Y01.240.PBW Y01.240.PBBK	Y02.240.PCW Y02.240.PCBK	Y33.240.SCW Y33.240.SCBK	Y05.240.SNW Y05.240.SNBK	Y91.240.ABBK	35 35
	Double 13 AMP socket Double 13 AMP socket	Y01.250.PBW Y01.250.PBBK	Y02.250.PCW Y02.250.PCBK	Y33.250.SCW Y33.250.SCBK	Y05.250.SNW Y05.250.SNBK	Y91.250.ABBK	35 35
13 AM	P Fused Spur Units (Connect						105
	Unswitched Spur Unswitched Spur	Y01.234.W Y01.234.BK	Y02.234.W Y02.234.BK	Y33.234.W Y33.234.BK	Y05.234.W Y05.234.BK	Y91.234.BK	35 35
	Switched Spur Switched Spur	Y01.235.PBW Y01.235.PBBK	Y02.235.PCW Y02.235.PCBK	Y33.235.SCW Y33.235.SCBK	Y05.235.SNW Y05.235.SNBK	Y91.235.ABBK	35 35
	Switched with neon Switched with neon	Y01.236.PBW Y01.236.PBBK	Y02.236.PCW Y02.236.PCBK	Y33.236.SCW Y33.236.SCBK	Y05.236.SNW Y05.236.SNBK	Y91.236.ABBK	35 35
2 Way	Switched with neon/cord Switched with neon/cord Dolly Switches	Y01.238.PBW Y01.238.PBBK	Y02.238.PCW Y02.238.PCBK	Y33.238.SCW Y33.238.SCBK	Y05.238.SNW Y05.238.SNBK	Y91.238.ABBK	35 35
@	1 gang dolly	Y01.2400.PB	Y02.2400.PC	Y33.2400.SC	Y05.2400.SN	Y91.2400.AB	35
@ <b>@</b>	2 gang dolly	Y01.2410.PB	Y02.2410.PC	Y33.2410.SC	Y05.2410.SN	Y91.2410.AB	35
999	3 gang dolly	Y01.2420.PB	Y02.2420.PC	Y33.2420.SC	Y05.2420.SN	Y91.2420.AB	35
9999	4 gang dolly	Y01.2430.PB	Y02.2430.PC	Y33.2430.SC	Y05.2430.SN	Y91.2430.AB	35
8	1 gang Intermediate	Y01.2401.PB	Y02.2401.PC	Y33.2401.SC	Y05.2401.SN	Y91.2401.AB	35
2 Way	Push On/Off Dimmer Switch	es					$\perp$
0	1 gang dimmer (250 watts) 1 gang dimmer (400 watts)	Y01.260/250 Y01.260/400	Y02.260/250 Y02.260/400	Y33.260/250 Y33.260/400	Y05.260/250 Y05.260/400	Y91.260/250 Y91.260/400	35 35
00	2 gang dimmer (250 watts) 2 gang dimmer (400 watts)	Y01.270/250 Y01.270/400	Y02.270/250 Y02.270/400	Y33.270/250 Y33.270/400	Y05.270/250 Y05.270/400	Y91.270/250 Y91.270/400	35 35
000	3 gang dimmer (250 watts) 3 gang dimmer (400 watts)	Y01.280/250 Y01.280/400	Y02.280/250 Y02.280/400	Y33.280/250 Y33.280/400	Y05.280/250 Y05.280/400	Y91.280/250 Y91.280/400	35 35
0000	4 gang dimmer (250 watts) 4 gang dimmer (400 watts)	Y01.290/250 Y01.290/400	Y02.290/250 Y02.290/400	Y33.290/250 Y33.290/400	Y05.290/250 Y05.290/400	Y91.290/250 Y91.290/400	35 35
Low Vo	Itage Dimmer Switches						$\perp$
0	1 gang Low Voltage 250VA 1 gang Low Voltage 400VA	LV Y01.260/250 LV Y01.260/400	LV Y02.260/250 LV Y02.260/400	LV Y33.260/250 LV Y33.260/400	LV Y05.260/250 LV Y05.260/400	LV Y91.260/250 LV Y91.260/400	35 35
00	2 gang Low Voltage 250VA 2 gang Low Voltage 400VA	LV Y01.270/250 LV Y01.270/400	LV Y02.270/250 LV Y02.270/400	LV Y33.270/250 LV Y33.270/400	LV Y05.270/250 LV Y05.270/400	LV Y91.270/250 LV Y91.270/400	35 35
000	3 gang Low Voltage 250VA 3 gang Low Voltage 400VA	LV Y01.280/250 LV Y01.280/400	LV Y02.280/250 LV Y02.280/400	LV Y33.280/250 LV Y33.280/400	LV Y05.280/250 LV Y05.280/400	LV Y91.280/250 LV Y91.280/400	35 35
20 AMP D.P. Switches							
	20 AMP D.P. Switch	Y01.205.PB	Y02.205.PC	Y33.205.SC	Y05.205.SN	Y91.205.AB	35
	20 AMP Switch with Neon	Y01.206.PB	Y02.206.PC	Y33.206.SC	Y05.206.SN	Y91.206.AB	35



#### Polished Brass Polished Chrome Satin Chrome

#### Satin Nickel

#### **Antique Brass**

Box Depth

## STUDIO RANGE











CON	ICEALED FIXING					1	
45 AMP Cooker Switches							
	45 AMP Switch (single plate)	Y01.263.PB	Y02.263.PC	Y33.263.SC	Y05.263.SN	Y91.263.AB	48
	45 AMP cooker unit-13A socket white insert 45 AMP cooker unit-13A socket black insert	Y01.262.PBW Y01.262.PBBK	Y02.262.PCW Y02.262.PCBK	Y33.262.SCW Y33.262.SCBK	Y05.262.SNW Y05.262.SNBK	Y91.262.ABBK	48 48
Triple P	ole Fan Isolating Switch						Ш
	6 AMP switch	Y01.2990.PB	Y02.2990.PC	Y33.2990.SC	Y05.2990.SN	Y91.2990.AB	25
Round	Pin Sockets Unswitched						Ш
® ⊗ ⊗	5 AMP 3 pin white insert 5 AMP 3 pin black insert	Y01.282.W Y01.282.BK	Y02.282.W Y02.282.BK	Y33.282.W Y33.282.BK	Y05.282.W Y05.282.BK	Y91.282.BK	35 35
Shaver	Socket Dual Output						
	Output voltage 110/240V white insert Output voltage 110/240V black insert	Y01.285.W Y01.285.BK	Y02.285.W Y02.285.BK	Y33.285.W Y33.285.BK	Y05.285.W Y05.285.BK	Y91.285.BK	55 55
TV/Coa	xial Sockets						
<b>⊚</b>	Single Non-Isolated white insert Single Non-Isolated black insert	Y01.221.W Y01.221.BK	Y02.221.W Y02.221.BK	Y33.221.W Y33.221.BK	Y05.221.W Y05.221.BK	Y91.221.BK	35 35
	Single Isolated white insert Single Isolated black insert	Y01.223.W Y01.223.BK	Y02.223.W Y02.223.BK	Y33.223.W Y33.223.BK	Y05.223.W Y05.223.BK	Y91.223.BK	35 35
	Twin Non-Isolated white insert Twin Non-Isolated black insert	Y01.222.W Y01.222.BK	Y02.222.W Y02.222.BK	Y33.222.W Y33.222.BK	Y05.222.W Y05.222.BK	Y91.222.BK	35 35
<b>© ©</b>	TV/FM Diplexed white insert TV/FM Diplexed black insert	Y01.224.W Y01.224.BK	Y02.224.W Y02.224.BK	Y33.224.W Y33.224.BK	Y05.224.W Y05.224.BK	Y91.224.BK	35 35
Satellite Sockets							
(a)	Satellite Socket white insert Satellite Socket black insert	Y01.225.W Y01.225.BK	Y02.225.W Y02.225.BK	Y33.225.W Y33.225.BK	Y05.225.W Y05.225.BK	Y91.225.BK	35 35
<ul><li>⊚ ⊚</li></ul>	TV/Satellite Socket white insert TV/Satellite Socket black insert	Y01.226.W Y01.226.BK	Y02.226.W Y02.226.BK	Y33.226.W Y33.226.BK	Y05.226.W Y05.226.BK	Y91.226.BK	35 35
Telepho	ne and Data Sockets						
	1 Gang Secondary Line white insert 1 Gang Secondary Line black insert	Y01.266.W Y01.266.BK	Y02.266.W Y02.266.BK	Y33.266.W Y33.266.BK	Y05.266.W Y05.266.BK	Y91.266.BK	35 35
	1 Gang Master Line white insert 1 Gang Master Line black insert	Y01.267.W Y01.267.BK	Y02.267.W Y02.267.BK	Y33.267.W Y33.267.BK	Y05.267.W Y05.267.BK	Y91.267.BK	35 35
BB -	2 Gang Secondary line white Insert 2 Gang Secondary line black Insert	Y01.256.W Y01.256.BK	Y02.256.W Y02.256.BK	Y33.256.W Y33.256.BK	Y05.256.W Y05.256.BK	Y91.256.BK	35 35
	2 Gang Master line white Insert 2 Gang Master line black Insert	Y01.257.W Y01.257.BK	Y02.257.W Y02.257.BK	Y33.257.W Y33.257.BK	Y05.257.W Y05.257.BK	Y91.257.BK	35 35
	1 Gang RJ45 white Insert 1 Gang RJ45 black Insert	Y01.268.W Y01.268.BK	Y02.268.W Y02.268.BK	Y33.268.W Y33.268.BK	Y05.268.W Y05.268.BK	Y91.268.BK	35 35
	1 Gang RJ11 white Insert 1 Gang RJ11 black Insert	Y01.269.W Y01.269.BK	Y02.269.W Y02.269.BK	Y33.269.W Y33.269.BK	Y05.269.W Y05.269.BK	Y91.269.BK	35 35
	2 Gang RJ45 white Insert 2 Gang RJ45 black Insert	Y01.258.W Y01.258.BK	Y02.258.W Y02.258.BK	Y33.258.W Y33.258.BK	Y05.258.W Y05.258.BK	Y91.258.BK	35 35
Blanking Plates							
	Single Section Blank Plate	Y01.231	Y02.231	Y33.231	Y05.231	Y91.231	~
	Double Section Blank Plate	Y01.232	Y02.232	Y33.232	Y05.232	Y91.232	~





Our range of nightlatches with modern styling are available in a variety of finishes, including Antique and Matt Bronze finish to complement our other door hardware offerings and to achieve an integrated overall look for any project undertaken.



Locks and Latches

A comprehensive array of locks and latches, available in our full complement of finishes to match your door hardware.

This Image is for illustrative purposes only. Please see following pages for details and product profile.

#### STANDARD DUTY TUBULAR LATCHES

**Bolt Through** 

 YKTL2-AT
 21/2" Antique Finish

 YKTL2-BLK
 21/2" Black Finish

 YKTL2-MB
 21/2" Matt Bronze Finish

 YKTL2-PB
 21/2" Brass Finish

 YKTL2-PC&PN
 21/2" Pol.Chrome/Nickel Finish

YKTL2-PC&PN
YKTL2-SB
YKTL2-SN&SC
YKTL3-AT

21/2" Pol.Chrome/Nickel Finish
21/2" Satin Brass Finish
21/2" Satin Chrome/Nickel Finish
3" Antique Finish

YKTL3-BLK 3" Black Finish Finish YKTL3-MB 3" Matt Bronze Finish 3" YKTL3-PB **Brass Finish** YKTL3PC&PN 3" Pol.Chrome/Nickel Finish YKTL3-SB 3" Satin Brass Finish YKTL3-SN&SC Satin Chrome/Nickel Finish

#### REBATE KITS TO SUIT (Standard Latch Only)

YKRBTL-AT Rebate For YKTL Antique Brass YKRBTL-MB Rebate For YKTL Matt Bronze YKRBTL-PB Rebate For YKTL Polished Brass Rebate For YKTL Polished Chrome YKRBTL-PC Rebate For YKTL Polished Nickel YKRBTL-PNF YKRBTL-SB Rebate For YKTL Satin Brass YKRBTL-SC Rebate For YKTL Satin Chrome YKRBTL-SN Rebate For YKTL Satin Nickel

# Lengths available: 21/2" & 3" Backset: 44 & 57mm

#### **Description**

- Lightly sprung latch.
- Used for internal doors that do not require locking from either side.
- Suitable for sprung levers and sprung mortice knobs.
- Suitable for use with 8mm door handle spindles and for round rose furniture requiring bolt through fixing.
- Latch is fully reversible for door handing.

2<sup>1</sup>/<sub>2</sub>" recommended for Levers 3" recommended for sprung Mortice Knobs (Not recommended for unsprung Mortice Knobs)

#### **HEAVY DUTY TUBULAR LATCHES**

YKAL2-AT
YKAL2-BLK
YKAL2-BLK
YKAL2-MB
YKAL2-PB
YKAL2-PC&PN
YKAL2-SB
Z''/Z'' NOT Bolt Through Satin Brass Finish
Z'/Z'' NOT Bolt Through Satin Nickel Finish
Z''/Z'' NOT Bolt Through Satin Nickel Finish

YKAL3-BLK
YKAL3-BLK
YKAL3-BB
YKAL3-PB
YKAL3-PC&PN
YKAL3-BC
YKAL3-SB
YKAL3-SB
YKAL3-SB
YKAL3-SB
YKAL3-SB
YKAL3-SN&SC
3" Bolt Through Polished Brass Finish
3" Bolt Through Pol.Chrome/Nickel Finish
3" Bolt Through Satin Brass Finish
3" Bolt Through Satin Brass Finish
3" Bolt Through Satin Chrome/Nickel Finish

YKAL4-AT 4" Bolt Through Antique Finish YKAL4-BLK 4" Bolt Through Black Finish 4" Bolt Through Matt Bronze Finish YKAL4-MB YKAL4-PB 4" Bolt Through Polished Brass Finish YKAL4-PC&PN 4" Bolt Through Pol.Chrome/Nickel Finish YKAL4-SB 4" Bolt Through Satin Brass Finish YKAL4-SN&SC 4" Bolt Through Satin Chrome/Nickel Finish 5" Bolt Through Antique Finish YKAL5-AT

YKAL5-BLK
5" Bolt Through Black Finish
YKAL5-PB
5" Bolt Through Matt Bronze Finish
5" Bolt Through Polished Brass Finish
YKAL5-PC&PN
5" Bolt Through Pol.Chrome/Nickel Finish
5" Bolt Through Satin Brass Finish
YKAL5-SN&SC
5" Bolt Through Satin Chrome/Nickel Finish

Lengths available: 21/2", 3", 4", & 5"



Backset : 44, 57, 82, & 107mm

#### **Description**

- Heavy duty strongly sprung latch.
- Used for internal doors that do not require locking.
- Suitable for unsprung levers, unsprung mortice knobs and with heavy lever handles requiring additional springing to return to rest.
- Suitable for use with 8mm door handle spindles and for round rose furniture requiring bolt through fixing (except 2<sup>1</sup>/<sub>2</sub>").
- Includes dust box for strike plate.
- Latch bolt easily reversed for door handing by turning latch bolt.

2<sup>1</sup>/<sub>2</sub>" recommended for Levers 3" recommended for unsprung Mortice Knobs (Not recommended for sprung Mortice Knobs)

#### **TUBULAR BATHROOM DEADBOLT**

YKBDB3-AT 3" Antique Finish YKBDB3-BLK 3" Black Finish YKBDB3-MB 3" Matt Bronze Finish YKBDB3-PB 3" Polished Brass Finish YKBDB3-PC&PN 3" Pol.Chrome/Nickel Finish YKBDB3-SB 3" Satin Brass Finish YKBDB3-SN&SC 3" Satin Chrome/Nickel Finish YKBDB4-AT 4" Antique Finish 4" Black Finish YKBDB4-BLK YKBDB4-MB 4" Matt Bronze Finish

YKBDB4-MB 4" Matt Bronze Finish
YKBDB4-PC 4" Polished Brass Finish
YKBDB4-SB 4" Satin Brass Finish
YKBDB4-SN&SC 4" Satin Chrome/Nickel Finish



#### Description

- Used for internal doors where privacy is required. A thumbturn and release is required to operate the bolt.
- Door is locked & unlocked by throwing the bolt. In emergencies the bolt may be thrown using a coin release from outside.
- Suitable for use with 5mm thumbturn & emergency release spindles and for thumbturns requiring bolt through fixing.
- Includes dust box for strike plate.
- Bolt is fully reversible for door handing & suitable for thumbturns that require bolt through fixing.

Colour of lock cases may change

#### **BATHROOM LOCKS** Bolt Through

CODE Code Previously			
YKABL2-AT	YKBL2	21/2	" Antique Finish
YKABL2-BLK	YKBL2	21/2	"Black Finish
YKABL2-MB	YKBL2	21/2	"Matt Bronze Finish
YKABL2-PB	YKBL2	21/2	"Brass Finish
YKABL2-PC&PN	YKBL2	21/2	"Pol.Chrome/Nickel Finish
YKABL2-SB	YKBL2	21/2	"Satin Brass Finish
YKABL2-SN&SC	YKBL2	21/2	"Satin Chrome/Nickel Finish
YKABL3-AT	YKBL3	3"	Antique Finish
YKABL3-BLK	YKBL3	3"	Black Finish
YKABL3-MB	YKBL3	3"	Matt Bronze Finish
YKABL3-PB	YKBL3	3"	Brass Finish
YKABL3-PC&PN	YKBL3	3"	Pol.Chrome/Nickel Finish
YKABL3-SB	YKBL3	3"	Satin Brass Finish
YKABL3-SN&SC	YKBL3	3"	Satin Chrome/Nickel Finish




#### **Description**

- For internal doors where privacy is required.
- Suitable for use with bathroom door handles with 8mm spindles and 57mm centres (CTC).
- Also suitable for use with lever on rose handles requiring bolt through fixing or with door knobs, latch is fully reversible for door handing.
- When using lever on rose handles or door knobs use with separate Thumbturn & Release.
- Includes dust box for strike.
- Easily reversed for door handing without opening lock by turning latch bolt.

#### 3 LEVER SASHLOCKS Bolt Through

		_
CODE Co	de Previo	usly
YKASL32-AT	YKSL32	21/2" Antique Finish
YKASL32-BLK	YKSL32	21/2" Black Finish
YKASL32-MB	YKSL32	21/2" Matt Bronze Finish
YKASL32-PB	YKSL32	21/2" Brass Finish
YKASL32-PC&PN	YKSL32	21/2" Pol.Chrome/Nickel Finish
YKASL32-SB	YKSL32	21/2" Satin Brass Finish
YKASL32-SN&SC	YKSL32	21/2" Satin Chrome/Nickel Finish
YKASL33-AT	YKSL33	3" Antique Finish
YKASL33-BLK	YKSL33	3" Black Finish
YKASL33-MB	YKSL33	3" Matt Bronze Finish
YKASL33-PB	YKSL33	3" Brass Finish
YKASL33-PC&PN	YKSL33	3" Pol.Chrome/Nickel Finish
YKASL33-SB	YKSL33	3" Satin Brass Finish
YKASL33-SN&SC	YKSL33	3" Satin Chrome/Nickel Finish



#### **Description**

- For internal doors which need to be latched and locked.
- Suitable for use with lever lock door handles with 8mm spindles and 57mm centres (CTC)
- Also suitable for use with lever on rose handles requiring bolt through fixing or with door knobs.
- Includes dust box for strike.
- Easily reversed for door handing without opening lock by turning latch bolt.

#### **EUROPROFILE SASHLOCKS**

YKASLE2-AT 21/2" Antique Finish YKASLE2-BLK 21/2" Black Finish YKASLE2-MB 21/2" Matt Bronze Finish YKASLE2-PB 21/2" Brass Finish YKASLE2-PC&PN 21/2" Pol.Chrome/Nickel Finish YKASLE2-SB 21/2" Satin Brass Finish YKASLE2-SN&SC 21/2" Satin Chrome/Nickel Finish YKASLE3-AT 3" Antique Finish YKASLE2-BLK 3" Black Finish YKASLE3-MB 3" Matt Bronze Finish YKASLE3-PB 3" Brass Finish YKASLE3-PC&PN 3" Pol.Chrome/Nickel Finish YKASLE3-SB 3" Satin Brass Finish YKASLE3-SN&SC 3" Satin Chrome/Nickel Finish Lengths available: 21/2" & 3"

CTC
48mm

Backset: 44 & 57mm

#### **Description**

For internal or external doors which require to be latched and locked using a Euro Profile cylinder.

Suitable for use with Euro Profile door handles with 8mm spindles and 48mm centres (CTC).

Suitable for Lever on rose handles requiring bolt through fixing.

An Iseo Euro Profile cylinder or similar will be required to operate the bolt.

Includes dust box for strike.

Easily reversed for door handing without opening lock by turning latch bolt.

106

#### LOCKS AND LATCHES

Colour of lock cases may change

## BRITISH STANDARD 5 LEVER SASHLOCKS

YK BSSL27 21/2" Brass Finish YK BSSL29 21/2" Satin Finish YK BSSL37 3" Brass Finish

YK BSSL39 3" Satin Finish


**REBATE KITS TO SUIT** 

YKRB BSSL7.5 1/2" Brass Finish

YKRB BSSL9.5 1/2" Satin Finish

YKRB BSSL7.1 1" Brass Finish YKRB BSSL9.1 1" Satin Finish





## Backset: 44 & 57mm

Lengths available: 21/2" & 3"

#### **Description**

- For external doors which require secure locking using a kitemarked BS 3621 approved mortice lock.
- Suitable for use with lever lock handles with 8mm spindles and 57mm centres (CTC).
- Also suitable for use with lever on rose handles requiring bolt through fixing.
- Includes fixing guide template & dust box for strike.

Easily reversed for door handing without

opening lock by turning latch bolt.

# BRITISH STANDARD 5 LEVER DEADLOCKS

YK BSDL27 2½" Brass Finish YK BSDL29 2½" Satin Finish YK BSDL37 3" Brass Finish

# YK BSDL39 3" Satin Finish REBATE KITS TO SUIT

YKRB BSDL7.5 1/2" Brass Finish YKRB BSDL9.5 1/2" Satin Finish YKRB BSDL7.1 1" Brass Finish YKRB BSDL9.1 1" Satin Finish





#### **Description**

- For external doors which require secure locking using a kitemarked BS 3621 approved mortice lock.
- Provides added security when fitted in conjunction with nightlatches
- Includes fixing guide template & dust box for strike.

#### **NIGHTLATCHES**



NL3060-AT 60mm Antique Finish
NL3060-PB 60mm Polished Brass
NL3060-PC 60mm Polished Chrome
NL3060-MB 60mm Matt Bronze Finish
NL3060-SC 60mm Satin Chrome Finish
NL3060-WH 60mm White Finish
NL3060-BLK 60mm Black Finish

#### REPLACEMENT RIM CYLINDERS

**NLCYL PB** Polished Bass Finish **NLCYL PC** Polished Chrome Finish

#### **NIGHTLATCHES 40mm**

NL3040-AT 40mm Antique Finish
NL3040-PB 40mm Polished Brass
NL3040-PC 40mm Polished Chrome
NL3040-MB 40mm Matt Bronze Finish
NL3040-WH 40mm Satin Chrome Finish
NL3040-WH 40mm White Finish
NL3040-BLK 40mm Black Finish



NL-R3060-AT 60mm Antique Finish
NL-R3060-PB 60mm Polished Bass
NL-R3060-PC 60mm Polished Chrome
NL-R3060-MB 60mm Matt Bronze Finish
NL-R3060-WH 60mm Satin Chrome Finish
NL-R3060-WH 60mm White Finish
NL-R3060-BLK 60mm Black Finish

**ROLLER BOLT NIGHTLATCHES** 

We have added 5 new finishes to our already extensive product range.

#### **MATT Bronze**

Polished Brass which is not lacquered will naturally darken with time, however with our MATT Bronze finish we have aged the brass, and applied a clear lacquer.

Over a period of time the bronze colour will lighten along any edges and surfaces that are frequently touched and create a naturally aged appearance highlighting frequently touched areas and exposing the brass below.

As the finish will change over time, there is no warranty on this finish.

#### **Antique Brass**

With this finish we polish the brass and apply a bronze patina over the total surface.

Using soft brushes our experienced polishers remove some of the bronze patina to expose the brass below thus highlighting the variance of shades making each piece both appealing and unique.

To preserve the final appearance, we apply a protective coating of clear electrophoretic lacquer.

#### Polished Nickel, a Living Finish

Our Polished Nickel finish is nickel plating on highly polished brass. The nickel finish is not coated and will therefore oxidise naturally. If not regularly buffed with a soft cloth the nickel plate will subtlety change over time by taking on an aged patina.

#### Solid Bronze Rustic, a Living Finish

These striking products are made using molten Bronze flowing into cavities within a sand mould. This casting process leaves light surface indentations to bestow a rustic appearance, which contrasts in texture to other smoothly finished products. A light bronze patina is applied by hand on the cast bronze creating a country-style appearance.

When leaving the factory these products are coated with paste wax. This acts as a barrier to prevent oxygen from immediately oxidizing the bronze surface. Over time, this layer is worn away allowing water and oxygen to then oxidise the surface.

Over a period of time the bronze patina will lighten along any edges and surfaces that are frequently touched, creating a naturally aged appearance as the bronze below is exposed. When untouched the finish may darken as the bronze oxidises.

As this is a living finish, products will not be identical, there will be slight variation in hue and tone.

Avoid exposure to abrasives or chemicals as these will mar the surface finish.

It is good practice to occasionally wax the surface using Carnauba wax. As the finish will change over time, there is no warranty on this finish.

#### **Black Iron Rustic**

Our Black Rustic range is produced with molten iron flowing into cavities in a sand mould and made malleable by a process known as annealing. The surface of this product will reveal slight indentations created as the metal cools while the shape is being formed to bestow an aged look.

After casting we treat the iron with a process called Phosphating, which slows the rusting process, and coat the product with a powder coated black finish.

Any Iron product is prone to rusting, please read our maintenance recommendations.

#### PRODUCT CARE

Maintaining the quality of the finish requires occasional care by removing dust and stains from the surfaces.

#### **Lacquered Finishes**

Comprising Polished Brass, Satin Nickel, Antique Brass, Matt Bronze, Satin Brass, Jupiter, Mercury and Mayfair.

All lacquered finishes will eventually break down over time. Lacquer breakdown will occur more frequently on products exposed to the climate, particularly in coastal areas and in polluted environments.

Regularly removing dirt and watermarks with a non-abrasive cloth will help maintain the life of this finish.

For products used externally applying a non-abrasive light wax coating will protect the lacquer and could extend its life. DO NOT USE metal cleaners or aerosol sprays as these will damage the lacquer.

External fittings will also benefit from a periodic light oiling of springs and moving parts

The life of the lacquer is beyond the manufacturer's control, and therfore cannot be guaranteed.

## Polished Chrome, Satin Chrome, Apollo and PVD Finishes

Regularly removing dirt and watermarks with a nonabrasive cloth will help maintain the life of these finishes.

External fittings will also benefit from a periodic light oiling of springs and moving parts

#### **Black Iron Door Furniture**

Regularly removing dirt and watermarks with a non-abrasive cloth will help maintain the life of this finish.

Exposure to humidity will cause the product to rust so all external fittings will benefit from an occasional wiping over with a lightly oiled cloth and a periodic light oiling of springs and moving parts.

If the decorative material shows signs of 'Chipping 'remove any flaking or loose paint, making sure the surface is dry and grease free, then spot the affected area with enamel paint e.g. 'Humbrol' or similar.

108

Tel: 01384 247844

#### Year of Establishment

We were established in April 1940.

#### M. Marcus and Heritage Brass

M. Marcus started selling products under the brand name of Heritage Brass in the 1980's so we are now also known as Heritage Brass.

#### **Quality of Brass**

All our Heritage Brass door furniture is created using hot forged brass which ensures the best manufacturing process for both strength and superior finish.

#### **Durability of Springs**

The springs used are crucial to prevent breakages so we source our door furniture springs from a long established Italian manufacturer. Our springs have been cycle tested to provide 100,000 lever operations, and for residential use we offer a 10 year mechanism warranty.

#### **Locks and Latches**

Our handles are not supplied with locks, latches or escutcheons. These items need to be purchased separately for the specific function required. Our lock ranges are shown on pages 105-107.

#### **Door Thickness**

The spindles we supply as standard with our door furniture will in most cases be suitable for common domestic door thicknesses in the range of 35 to 44mm without having to be cut down. However as door thicknesses may be greater we can supply to special order longer spindles for doors of 50mm and upwards.

#### **Fixing of Round Rose Door Furniture**

On levers where both woodscrews and bolts are supplied, we highly recommend that the bolts are used to securely clamp the handles to the door and not the woodscrews, as with just the woodscrews the handles will not be secured sufficiently on the door. The woodscrews are only to be used as an additional means to limit any tendency of the inner roses to rotate once fitted.

We reserve the right to amend products & sizes without notice and all dimensions provided are approximate. Colours shown in this catalogue may vary slightly from actual product due to photographic and colour reproduction. All errors and omissions excepted. Antique and Bronze finishes have variations in tone and colour, this is not a fault but a characteristic of the finish, so finish matches cannot be guaranteed.

Accreditations M. Marcus Ltd. is an: ISO 9001:2015 & ISO 14001:2015 accredited company.







Certificate No. FM 35735 ISO 9001:2015

Certificate No.EMS 57265 ISO 14001:2015

### Trade Association Membership



**Guild of Architectural Ironmongers** 



**Master Locksmiths Association** 



British Independent Retailers Association

**National Merchant Buying Society** 



ths Tools Group

#### **WARRANTIES**

#### **Warranties for Door Hardware**

These warranties are offered in addition to any statutory legal rights for the sale of goods.

M. Marcus will not be liable for any incidental or consequential damages arising from the sale or use of our products. We assume no liability for any labour charges regarding the removal or reinstallation of the products; nor will we cover any carriage costs. Our only obligation will to be to replace any defective products.

For terms and conditions of sale please refer to our current retail price list.

#### **10 Year Mechanism Warranty**

Sprung sets will be replaced if within 10 years from the date of purchase the spring mechanism breaks due to faulty workmanship or materials. The warranty is made void by any breakage which in the manufacturer's opinion arises from misuse or lack of maintenance. To validate any claim under this warranty a receipt or other proof of the age of the installation may be requested.

#### **Everbrite: 10 Year Finish Warranty**

Our 'Everbrite' branded products will be replaced if within 10 years from the date of purchase the decorative finish discolours due to faulty workmanship or materials. This warranty applies only to the original purchaser. The warranty is made void for any discolouration which in the manufacturer's opinion arises from misuse or lack of maintenance. To validate any claim under this warranty a receipt or other proof of the age of the installation may be requested.

#### **Warranties for Electrical Accessories**

These warranties are offered in addition to any statutory legal rights for the sale of goods.

Heritage Brass Electrical Accessories are guaranteed for 5 years (dimmer switches 1 year) provided the following conditions are met.

- 1) The accessory has been properly installed complete with its protective gasket by a qualified electrician in accordance with the wiring regulations current at the time of installation.
- 2) The accessory has been subjected to normal use and has not been altered or dismantled in any way.



— SORRENTO —
ITALIAN STYLED LEVER HANDLES
Made from Zinc Alloy





Made in Italy











Please visit www.m-marcus.com to see the full range RD2308-40-SB Made in Italy



Please visit www.m-marcus.com to see the full range





#### m.marcus

#### architectural hardware

 $\begin{aligned} \textbf{M. Marcus Ltd.} & \text{ Unit 7, Narrowboat Way, Dudley. DY2 OXQ} \\ & \text{Admin Tel: } & \textbf{(01384) 457900} \end{aligned}$ 

Hardware Sales Tel: (01384) 247844 Hardware Sales Fax: (01384) 242252 Hardware Sales e-mail: sales@m-marcus.com

Electrical Sales Tel: (01384) 247845 - Electrical Sales Fax: (01384) 243312 Electrical Sales e-mail: electsales@m-marcus.com

Iseo Sales Tel: (01384) 247833 - Iseo Sales Fax: (01384) 253687 Iseo Sales e-mail: iseosales@m-marcus.com