

Heritage Electrical Gala Elite Range

April 2024



- ✓ Priced competitively
- ✓ Five high quality finishes
- ✓ White or black trim
- ✓ Matching metal rockers
- ✓ USB Sockets available
- ✓ Trailing Edge Dimmers (for LED lamps) available



10 AMP ROCKER SWITCHES		Code	Code	Code	Code	£	Code	£	
	1 Gang 2 Way Switch White Trim	C11.800.PBW	C22.800.PCW	C33.800.SCW	C55.800.SNW	11.12	C91.800.ABBK	13.90	25
	1 Gang 2 Way Switch Black Trim	C11.800.PBBK	C22.800.PCBK	C33.800.SCBK	C55.800.SNBK				
	2 Gang 2 Way Switch White Trim	C11.810.PBW	C22.810.PCW	C33.810.SCW	C55.810.SNW	16.72	C91.810.ABBK	19.49	25
	2 Gang 2 Way Switch Black Trim	C11.810.PBBK	C22.810.PCBK	C33.810.SCBK	C55.810.SNBK				
	3 Gang 2 Way Switch White Trim	C11.820.PBW	C22.820.PCW	C33.820.SCW	C55.820.SNW	23.05	C91.820.ABBK	25.80	25
	3 Gang 2 Way Switch Black Trim	C11.820.PBBK	C22.820.PCBK	C33.820.SCBK	C55.820.SNBK				
	4 Gang 2 Way Switch White Trim	C11.830.PBW	C22.830.PCW	C33.830.SCW	C55.830.SNW	32.49	C91.830.ABBK	36.66	25
	4 Gang 2 Way Switch Black Trim	C11.830.PBBK	C22.830.PCBK	C33.830.SCBK	C55.830.SNBK				
	1 Gang Intermediate White Trim	C11.801.PBW	C22.801.PCW	C33.801.SCW	C55.801.SNW	20.60	C91.801.ABBK	23.39	25
	1 Gang Intermediate Black Trim	C11.801.PBBK	C22.801.PCBK	C33.801.SCBK	C55.801.SNBK				
13 AMP SWITCHED SOCKETS									
	Single 13 AMP Socket White Trim	C11.840.PBW	C22.840.PCW	C33.840.SCW	C55.840.SNW	16.63	C91.840.ABBK	19.43	35
	Single 13 AMP Socket Black Trim	C11.840.PBBK	C22.840.PCBK	C33.840.SCBK	C55.840.SNBK				
	Double 13 AMP Socket White Trim	C11.850.PBW	C22.850.PCW	C33.850.SCW	C55.850.SNW	18.92	C91.850.ABBK	23.98	35
	Double 13 AMP Socket Black Trim	C11.850.PBBK	C22.850.PCBK	C33.850.SCBK	C55.850.SNBK				
	Double USB-A+C Socket White Trim	C-C11.7559.PBW	C-C22.7559.PCW	C-C33.7559.SCW	C-C55.7559.SNW	55.89	C-C91.7559.ABBK	62.78	35
	Double USB-A+C Socket Black Trim	C-C11.7559.PBBK	C-C22.7559.PCBK	C-C33.7559.SCBK	C-C55.7559.SNBK				
13 AMP FUSED SPUR UNITS (CONNECTION UNITS)									
	Unswitched Spur White Trim	C11.834.W	C22.834.W	C33.834.W	C55.834.W	18.03	C91.834.BK	20.80	35
	Unswitched Spur Black Trim	C11.834.BK	C22.834.BK	C33.834.BK	C55.834.BK				
	Switched Spur White Trim	C11.835.PBW	C22.835.PCW	C33.835.SCW	C55.835.SNW	22.91	C91.835.ABBK	25.70	35
	Switched Spur Black Trim	C11.835.PBBK	C22.835.PCBK	C33.835.SCBK	C55.835.SNBK				
	Switched with Neon White Trim	C11.836.PBW	C22.836.PCW	C33.836.SCW	C55.836.SNW	28.48	C91.836.ABBK	31.26	35
	Switched with Neon Black Trim	C11.836.PBBK	C22.836.PCBK	C33.836.SCBK	C55.836.SNBK				
	Switched with Neon/Cord White Trim	C11.838.PBW	C22.838.PCW	C33.838.SCW	C55.838.SNW	37.63	C91.838.ABBK	41.40	35
	Switched with Neon/Cord Black Trim	C11.838.PBBK	C22.838.PCBK	C33.838.SCBK	C55.838.SNBK				
20 AMP 2 WAY DOLLY SWITCHES									
	1 Gang Dolly Switch	C11.1400.PB	C22.1400.PC	C33.1400.SC	C55.1400.SN	43.01	C91.1400.AB	46.47	35
	2 Gang Dolly Switch	C11.1410.PB	C22.1410.PC	C33.1410.SC	C55.1410.SN	57.68	C91.1410.AB	62.4	35
	3 Gang Dolly Switch	C11.1420.PB	C22.1420.PC	C33.1420.SC	C55.1420.SN	84.21	C91.1420.AB	90.53	35
	4 Gang Dolly Switch	C11.1430.PB	C22.1430.PC	C33.1430.SC	C55.1430.SN	101.63	C91.1430.AB	108.98	35
	1 Gang Intermediate	C11.1401.PB	C22.1401.PC	C33.1401.SC	C55.1401.SN	49.33	C91.1401.AB	52.78	35
2 WAY PUSH ON/OFF DIMMER SWITCHES									
	1 Gang Dimmer (250 watts)	C11.871.250	C22.871.250	C33.871.250	C55.871.250	28.68	C91.871.250	31.80	35
	1 Gang Dimmer (400 watts)	C11.871.400	C22.871.400	C33.871.400	C55.871.400	30.26	C91.871.400	33.03	35
	2 Gang Dimmer (250 watts)	C11.872.250	C22.872.250	C33.872.250	C55.872.250	48.85	C91.872.250	51.64	35
	2 Gang Dimmer (400 watts)	C11.872.400	C22.872.400	C33.872.400	C55.872.400	57.14	C91.872.400	59.92	35
	3 Gang Dimmer (250 watts)	C11.873.250	C22.873.250	C33.873.250	C55.873.250	75.44	C91.873.250	77.97	35
	3 Gang Dimmer (400 watts)	C11.873.400	C22.873.400	C33.873.400	C55.873.400	85.29	C91.873.400	87.96	35
	4 Gang Dimmer (250 watts)	C11.874.250	C22.874.250	C33.874.250	C55.874.250	93.85	C91.874.250	96.62	35
	4 Gang Dimmer (400 watts)	C11.874.400	C22.874.400	C33.874.400	C55.874.400	110.73	C91.874.400	113.45	35
TRAILING EDGE DIMMERS									
	1 Gang Trailing Edge	C11.871.TED	C22.871.TED	C33.871.TED	C55.871.TED	53.96	C91.871.TED	57.10	35
	2 Gang Trailing Edge	C11.872.TED	C22.872.TED	C33.872.TED	C55.872.TED	86.77	C91.872.TED	89.60	35
	3 Gang Trailing Edge	C11.873.TED	C22.873.TED	C33.873.TED	C55.873.TED	132.07	C91.873.TED	134.85	35
	4 Gang Trailing Edge	C11.874.TED	C22.874.TED	C33.874.TED	C55.874.TED	177.59	C91.874.TED	182.96	35
EURO MODULE PLATES									
	1 Module Euro Plate White Insert	PL.C11.691.W	PL.C22.691.W	PL.C33.691.W	PL.C55.691.W	20.33	PL.C91.691.BK	21.37	-
	1 Module Euro Plate Black Insert	PL.C11.691.BK	PL.C22.691.BK	PL.C33.691.BK	PL.C55.691.BK				
	2 Module Euro Plate White Insert	PL.C11.692.W	PL.C22.692.W	PL.C33.692.W	PL.C55.692.W	20.33	PL.C91.692.BK	21.37	-
	2 Module Euro Plate Black Insert	PL.C11.692.BK	PL.C22.692.BK	PL.C33.692.BK	PL.C55.692.BK				
	4 Module Euro Plate White Insert	PL.C11.1694.W	PL.C22.1694.W	PL.C33.1694.W	PL.C55.1694.W	26.45	PL.C91.1694.BK	27.70	-
	4 Module Euro Plate Black Insert	PL.C11.1694.BK	PL.C22.1694.BK	PL.C33.1694.BK	PL.C55.1694.BK				

Heritage Electrical

www.m-marcus.com
Tel: 01384 247 845
GALA ELITE RANGE

Polished Brass



Polished Chrome



Satin Chrome



Satin Nickel



Antique Brass



Minimum Box Depth

20 AMP D.P SWITCHES		Code	Code	Code	Code		Code	£	
	20 Amp DP Switch White Trim	C11.805.PBW	C22.805.PCW	C33.805.SCW	C55.805.SNW	20.13	C91.805.ABBK	22.91	35
	20 Amp DP Switch Black Trim	C11.805.PBBK	C22.805.PCBK	C33.805.SCBK	C55.805.SNBK				
	20 Amp DP with neon White Trim	C11.806.PBW	C22.806.PCW	C33.806.SCW	C55.806.SNW	23.77	C91.806.ABBK	26.53	35
	20 Amp DP with neon Black Trim	C11.806.PBBK	C22.806.PCBK	C33.806.SCBK	C55.806.SNBK				
45 AMP COOKER SWITCHES									
	45A Switch (tall plate) Red Rocker White Trim	C11.861.W	C22.861.W	C33.861.W	C55.861.W	47.36	C91.861.BK	50.13	48
	45A Switch (tall plate) Red Rocker Black Trim	C11.861.BK	C22.861.BK	C33.861.BK	C55.861.BK				
	45A Switch (single plate) Red Rocker White Trim	C11.863.W	C22.863.W	C33.863.W	C55.863.W	36.45	C91.863.BK	41.49	48
	45A Switch (single plate) Red Rocker Black Trim	C11.863.BK	C22.863.BK	C33.863.BK	C55.863.BK				
	45A Cooker Unit/13A Socket White Trim	C11.862.W	C22.862.W	C33.862.W	C55.862.W	59.88	C91.862.BK	65.44	48
	45A Cooker Unit/13A Socket Black Trim	C11.862.BK	C22.862.BK	C33.862.BK	C55.862.BK				
TRIPLE POLE FAN ISOLATING SWITCHES									
	6 AMP Switch with White Trim	C11.8990.W	C22.8990.W	C33.8990.W	C55.8990.W	18.94	C91.8990.BK	21.72	25
	6 AMP Switch with Black Trim	C11.8990.BK	C22.8990.BK	C33.8990.BK	C55.8990.BK				
ROUND PIN SOCKETS UNSWITCHED									
	5 Amp 3 pin Socket White Trim	C11.8982.W	C22.8982.W	C33.8982.W	C55.8982.W	26.19	C91.8982.BK	28.71	35
	5 Amp 3 pin Socket Black Trim	C11.8982.BK	C22.8982.BK	C33.8982.BK	C55.8982.BK				
SHAVER SOCKET DUAL OUTPUT									
	Output Voltage 110/240V White Trim	C11.895.W	C22.895.W	C33.895.W	C55.895.W	59.88	C91.895.BK	65.44	48
	Output Voltage 110/240V Black Trim	C11.895.BK	C22.895.BK	C33.895.BK	C55.895.BK				
TV/COAXIAL SOCKETS									
	Single Non-Isolated White Trim	C11.821.W	C22.821.W	C33.821.W	C55.821.W	18.94	C91.821.BK	21.80	35
	Single Non-Isolated Black Trim	C11.821.BK	C22.821.BK	C33.821.BK	C55.821.BK				
	Single Isolated White Trim	C11.823.W	C22.823.W	C33.823.W	C55.823.W	21.72	C91.823.BK	27.76	35
	Single Isolated Black Trim	C11.823.BK	C22.823.BK	C33.823.BK	C55.823.BK				
	Twin Non-Isolated White Trim	C11.822.W	C22.822.W	C33.822.W	C55.822.W	29.42	C91.822.BK	32.88	35
	Twin Non-Isolated Black Trim	C11.822.BK	C22.822.BK	C33.822.BK	C55.822.BK				
	TV/FM Diplexed White Trim	C11.824.W	C22.824.W	C33.824.W	C55.824.W	39.34	C91.824.BK	42.36	35
	TV/FM Diplexed Black Trim	C11.824.BK	C22.824.BK	C33.824.BK	C55.824.BK				
SATELLITE SOCKETS									
	Satellite Socket White Trim	C11.825.W	C22.825.W	C33.825.W	C55.825.W	23.36	C91.825.BK	28.14	35
	Satellite Socket Black Trim	C11.825.BK	C22.825.BK	C33.825.BK	C55.825.BK				
	TV/Satellite Socket White Trim	C11.826.W	C22.826.W	C33.826.W	C55.826.W	36.90	C91.826.BK	41.23	35
	TV/Satellite Socket Black Trim	C11.826.BK	C22.826.BK	C33.826.BK	C55.826.BK				
	1 Gang Triplex TV/FM/SAT White Trim	C11.616.W	C22.616.W	C33.616.W	C55.616.W	50.36	C91.616.BK	53.53	35
	1 Gang Triplex TV/FM/SAT Black Trim	C11.616.BK	C22.616.BK	C33.616.BK	C55.616.BK				
	TV/FM/Sat1/Sat2 Quad White Trim	C11.618.W	C22.618.W	C33.618.W	C55.618.W	56.19	C91.618.BK	61.57	35
	TV/FM/Sat1/Sat2 Quad Black Trim	C11.618.BK	C22.618.BK	C33.618.BK	C55.618.BK				
TELEPHONE AND DATA SOCKETS									
	1 Gang Secondary Line White Trim	C11.866.W	C22.866.W	C33.866.W	C55.866.W	19.14	C91.866.BK	23.14	35
	1 Gang Secondary Line Black Trim	C11.866.BK	C22.866.BK	C33.866.BK	C55.866.BK				
	1 Gang Master Line White Trim	C11.867.W	C22.867.W	C33.867.W	C55.867.W	22.19	C91.867.BK	24.96	35
	1 Gang Master Line Black Trim	C11.867.BK	C22.867.BK	C33.867.BK	C55.867.BK				
	2 Gang Secondary Line White Trim	C11.856.W	C22.856.W	C33.856.W	C55.856.W	42.91	C91.856.BK	45.76	35
	2 Gang Secondary Line Black Trim	C11.856.BK	C22.856.BK	C33.856.BK	C55.856.BK				
	2 Gang Master Line White Trim	C11.857.W	C22.857.W	C33.857.W	C55.857.W	46.84	C91.857.BK	49.56	35
	2 Gang Master Line Black Trim	C11.857.BK	C22.857.BK	C33.857.BK	C55.857.BK				
	1 Gang RJ45 CAT6 White Trim	C11.968.W	C22.968.W	C33.968.W	C55.968.W	29.68	C91.968.BK	34.01	35
	1 Gang RJ45 CAT6 Black Trim	C11.968.BK	C22.968.BK	C33.968.BK	C55.968.BK				
	2 Gang RJ45 CAT6 White Trim	C11.692.W	C22.692.W	C33.692.W	C55.692.W	42.91	C91.692.BK	45.76	35
	2 Gang RJ45 CAT6 Black Trim	C11.692.BK	C22.692.BK	C33.692.BK	C55.692.BK				
	1 Gang RJ11 White Trim	C11.969.W	C22.969.W	C33.969.W	C55.969.W	29.68	C91.969.BK	34.01	35
	1 Gang RJ11 Black Trim	C11.969.BK	C22.969.BK	C33.969.BK	C55.969.BK				
BLANKING PLATES									
	Single Blank Plate	C11.831	C22.831	C33.831	C55.831	10.12	C91.831	12.53	-
	Double Blank Plate	C11.832	C22.832	C33.832	C55.832	11.12	C91.832	14.09	-

Electrical Plate Finishes

Heritage Brass offers its electrical accessories in a variety of quality finishes. The illustrations shown throughout this brochure provide a good representation of these finishes subject to the constraints of the colour printing process. Viewing the different finishes in differing types of light may however cause subtle perceived differences in tone. Whilst much care is taken in maintaining the consistency of our antique finishes, colour tones and surface patterning may vary slightly due to the individual plate finishing processes involved.

Box Depth

When installing electrical accessories it is important to ensure that wall boxes of adequate depth are used. The box depth should comfortably accommodate the accessory and its connecting cables, and is particularly important with flat plate ranges and power accessories. The product selector tables in this catalogue give recommended box depths for normal installation conditions.

Trailing Edge Dimmers

Maximum of 10 LED lamps per module.

Minimum load 0 W per module. Maximum load 120 W per module.

Suitable for most quality dimmable LED lamps. Compatibility is not guaranteed with all LED lamps.

Terms and Conditions

Heritage Brass Electrical Wiring accessories are obtainable from a network of stockists. Order are accepted subject to the following terms and conditions of sale:

1. This price list cancels all previous price lists.
2. Prices charged will be those current at date of despatch.
3. Carriage paid for orders of minimum £100 at net invoice value. Delivery to a commercial address only.
4. For orders of under £100 net invoice value, carriage of £6.50 will be charged.
5. Orders where a guaranteed next day delivery is required must be received before 12 noon and will be subject to a charge of £20. Goods will be delivered the next working day before 12 noon.
6. Payment terms: 30 days net.
7. In the case of Northern Ireland, Channel Islands, Scottish Highlands and Islands, Isle of Man and Republic of Ireland there is a carriage charge of £20.00 for orders under £300 net invoice value. If applicable, custom clearance charges may also apply.
8. All shortages must be notified to us within 3 days of receipt of a consignment otherwise no claims can be entertained.
9. No returns will be accepted without prior written agreement.
10. All goods supplied will remain the property of M. Marcus Ltd. until payment is made in full.
11. All patterns subject to alteration without notice.
12. All prices are in Pounds Sterling.

Heritage Electrical

M. Marcus Ltd. (Electrical Division)

Unit 11A Narrowboat Way, Dudley, DY2 0XQ, England

Telephone: 01384 247 845

Fax: 01384 243 312

Email: electsales@m-marcus.com

Website: www.m-marcus.com

 **Instagram:** @heritagebrass

facebook: @heritagebrassaccessories

