

F6 Extra S3

3 STAR SECURITY CYLINDER



CATALOGUE

2022

presented by




m. marcus
est. 1940

F6 Extra S3

3 STAR SECURITY CYLINDER


ADVANCED DESIGN & ENGINEERING




The F6 Extra S3 cylinder is designed with sacrificial cuts. Thanks to this design the cylinder will break at these points during any attempted “snapping” attack.

At the precise moment the cylinder breaks, the internal trap will activate thus locking the **tungsten carbide** cam assembly in place. This activation helps protect the lock from further attempts to infiltrate and open.

Thanks to this innovative solution the cylinder remains operable and functional from the inside even after an attack from the outside!



INNOVATIVE MECHANISM



Thanks to the **innovative patented mechanism** of the cylinder, consisting of **sacrificial cuts** and tungsten carbide cam assembly, the **F6 Extra S3** cylinder offers assured protection for you and your valued household possessions.

The cylinder with its special design is certified by some of the most important trade certification bodies in the United Kingdom. Meeting their stringent test requirements, the **F6 Extra S3** will give you peace of mind and protection against the toughest criminal attacks.



BREAK SECURE



ANTI-DRILL



ANTI-TWIST



ANTI-SCREW



ANTI-PICK



ANTI-BUMP

AVAILABLE IN FINISHES: POLISHED NICKEL ~ BRASS ~ SATIN NICKEL




EURO PROFILE

F6 EXTRA S3
ASYMMETRICAL VERSION

Finishes: 3=Polished Nickel
7=Brass
9=Satin Nickel

Master Keying & Keyed Alike charges:
Add £ 5.00 to the item price shown.



off centre Din
standard Cam

IS82F6***J

RETAIL PRICES (INC 3 KEYS PER CYLINDER)

C	D...	35	40	45	50
35	●				
40		●			
45			●		
50				●	

SPECIAL RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

C	D...	35	40	45	50
35	●				
40		●			
45			●		
50				●	




EURO PROFILE

F6 EXTRA S3
SYMMETRICAL VERSION

Finishes: 3=Polished Nickel
7=Brass
9=Satin Nickel

Master Keying & Keyed Alike charges:
Add £ 5.00 to the item price shown.



off centre Din
standard Cam

IS82F6****DJ
Break-Point Both Sides

RETAIL PRICES (INC 3 KEYS PER CYLINDER)

C	D...	35	40	45
40	●			
45	●	●		
50	●	●	●	
55	●	●	●	●
60		●		

SPECIAL RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

C	D...	35	40	45
40	●			
45	●	●		
50	●	●	●	
55	●	●	●	●
60		●		




EURO PROFILE

F6 EXTRA S3 PREASSEMBLED FOR KNOB
ASYMMETRICAL VERSION

Finishes: 3=Polished Nickel
7=Brass
9=Satin Nickel

Master Keying & Keyed Alike charges:
Add £ 5.00 to the item price shown.



off centre Din
standard Cam

IS82F66****J
Break-Point Side D (Outside)

**Thumbturn Pieces
must be ordered
separately**

See next page

RETAIL PRICES (INC 3 KEYS PER CYLINDER)

C	D...	35	40	45	50	55
35	●	●	●	●	●	●
40	●	●	●	●	●	●
45	●	●	●	●	●	●
50	●	●	●	●	●	●
55	●	●	●	●	●	●

SPECIAL RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES M.O.Q PER LINE ORDER (INC 3 KEYS PER CYLINDER)

C	D...	35	40	45	50	55
35	●	●	●	●	●	●
40	●	●	●	●	●	●
45	●	●	●	●	●	●
50	●	●	●	●	●	●
55	●	●	●	●	●	●

Thumbturn Pieces

CODE

IS8219-TT3	POLISHED NICKEL
IS8219-TT7	POLISHED BRASS
IS8219-TT9	SATIN NICKEL
IS8229-TT3	POLISHED NICKEL
IS8229-TT7	POLISHED BRASS
IS8229-TT9	SATIN NICKEL
IS8289-TT3	POLISHED NICKEL
IS8289-TT7	POLISHED BRASS
IS8289-TT9	SATIN NICKEL
IS8259-TT3	POLISHED NICKEL
IS8259-TT7	POLISHED BRASS
IS8259-TT9	SATIN NICKEL



SPECIAL RETAIL PRICE EACH FOR ORDERS ABOVE 20 PIECES
M.Q.Q PER LINE

CODE

IS8219-TT3	POLISHED NICKEL
IS8219-TT7	POLISHED BRASS
IS8219-TT9	SATIN NICKEL
IS8229-TT3	POLISHED NICKEL
IS8229-TT7	POLISHED BRASS
IS8229-TT9	SATIN NICKEL
IS8289-TT3	POLISHED NICKEL
IS8289-TT7	POLISHED BRASS
IS8289-TT9	SATIN NICKEL
IS8259-TT3	POLISHED NICKEL
IS8259-TT7	POLISHED BRASS
IS8259-TT9	SATIN NICKEL



POLISHED NICKEL

BRASS

SATIN NICKEL




DISHED TURN




IS8289-TT3



IS8289-TT7



IS8289-TT9



OVAL TURN



IS8219-TT3



IS8219-TT7



IS8219-TT9



ROUND TURN



IS8229-TT3



IS8229-TT7



IS8229-TT9



FLAT TURN



IS8259-TT3



IS8259-TT7




IS8259-TT9

F6 EXTRA S3 Keys

020 609.U	Key Blank
020 609DK	Differ Key
020609MK	Master Key
IS-3STARMK	F6EX 3 S MK CHARGE
IS-3STARKA	F6EX 3 S KA CHARGE






Double Cylinder

CODE

IS82F6035353J	3*trap one side 3535 PN
IS82F6035357J	3* trap one side 3535 BR
IS82F6035359J	3* trap one side 3535 SN
IS82F6040403J	3* trap one side 4040 PN
IS82F6040407J	3* trap one side 4040 BR
IS82F6040409J	3* trap one side 4040 SN
IS82F6045453J	3* trap one side 4545 PN
IS82F6045457J	3* trap one side 4545 BR
IS82F6045459J	3* trap one side 4545 SN
IS82F6050503J	3* trap one side 5050 PN
IS82F6050507J	3* trap one side 5050 BR
IS82F6050509J	3* trap one side 5050 SN




Double Cylinder

Offset size cut both sides

CODE

IS82F6035403DJ	3*3540 Trap both sides PN
IS82F6035407DJ	3*3540 Trap both sides BR
IS82F6035409DJ	3*3540 Trap both sides SN
IS82F6035453DJ	3*3545 Trap both sides PN
IS82F6035457DJ	3*3545 Trap both sides BR
IS82F6035459DJ	3*3545 Trap both sides SN
IS82F6035503DJ	3*3550 Trap both sides PN
IS82F6035507DJ	3*3550 Trap both sides BR
IS82F6035509DJ	3*3550 Trap both sides SN
IS82F6035553DJ	3*3555 Trap both sides PN
IS82F6035557DJ	3*3555 Trap both sides BR
IS82F6035559DJ	3*3555 Trap both sides SN
IS82F6040453DJ	3*4045 Trap both sides PN
IS82F6040457DJ	3*4045 Trap both sides BR
IS82F6040459DJ	3*4045 Trap both sides SN
IS82F6040503DJ	3*4050 Trap both sides PN
IS82F6040507DJ	3*4050 Trap both sides BR
IS82F6040509DJ	3*4050 Trap both sides SN
IS82F6040553DJ	3*4055 Trap both sides PN
IS82F6040557DJ	3*4055 Trap both sides BR
IS82F6040559DJ	3*4055 Trap both sides SN
IS82F6040603DJ	3*4060 Trap both sides PN
IS82F6040607DJ	3*4060 Trap both sides BR
IS82F6040609DJ	3*4060 Trap both sides SN
IS82F6045503DJ	3*4550 Trap both sides PN
IS82F6045507DJ	3*4550 Trap both sides BR
IS82F6045509DJ	3*4550 Trap both sides SN
IS82F6045553DJ	3*4555 Trap both sides PN
IS82F6045557DJ	3*4555 Trap both sides BR
IS82F6045559DJ	3*4555 Trap both sides SN



Cylinder with Turn Axle

external size side D

CODE

IS82F6635353J	3*cyl & axel trap ext side D-3535PN
IS82F6635359J	3*cyl & axel trap ext side D-3535SN
IS82F6635357J	3*cyl & axel trap ext side D-3535BR
IS82F6635403J	3*cyl & axel trap ext side D-3540PN
IS82F6635409J	3*cyl & axel trap ext side D-3540SN
IS82F6635407J	3*cyl & axel trap ext side D-3540BR
IS82F6640353J	3*cyl & axel trap ext side D4035PN
IS82F6640359J	3*cyl & axel trap ext side D-4035SN
IS82F6640357J	3*cyl & axel trap ext side D-4035BR
IS82F6635453J	3*cyl & axel trap ext side D-3545PN
IS82F6635459J	3*cyl & axel trap ext side D-3545SN
IS82F6635457J	3*cyl & axel trap ext side D-3545BR
IS82F6640403J	3*cyl & axel trap ext side D-4040PN
IS82F6640409J	3*cyl & axel trap ext side D-4040SN
IS82F6640407J	3*cyl & axel trap ext side D-4040BR
IS82F6645353J	3*cyl & axel trap ext side D-4535PN
IS82F6645359J	3*cyl & axel trap ext side D-4535SN
IS82F6645357J	3*cyl & axel trap ext side D-4535BR
IS82F6635503J	3*cyl & axel trap ext side D-3550PN
IS82F6635509J	3*cyl & axel trap ext side D-3550SN
IS82F6635507J	3*cyl & axel trap ext side D-3550BR
IS82F6640453J	3*cyl & axel trap ext side D-4045PN
IS82F6640459J	3*cyl & axel trap ext side D-4045SN
IS82F6640457J	3*cyl & axel trap ext side D-4045BR
IS82F6645403J	3*cyl & axel trap ext side D-4540PN
IS82F6645409J	3*cyl & axel trap ext side D-4540SN
IS82F6645407J	3*cyl & axel trap ext side D-4540BR
IS82F6650353J	3*cyl & axel trap ext side D-5035PN
IS82F6650359J	3*cyl & axel trap ext side D-5035SN
IS82F6650357J	3*cyl & axel trap ext side D-5035BR
IS82F6635553J	3*cyl & axel trap ext side D-3555PN

IS82F6635559J	3*cyl & axel trap ext side D-3555SN
IS82F6635557J	3*cyl & axel trap ext side D-3555BR
IS82F6655353J	3*cyl & axel trap ext side D-5535PN
IS82F6655359J	3*cyl & axel trap ext side D-5535SN
IS82F6655357J	3*cyl & axel trap ext side D-5535BR
IS82F6640503J	3*cyl & axel trap ext side D-4050PN
IS82F6640509J	3*cyl & axel trap ext side D-4050SN
IS82F6640507J	3*cyl & axel trap ext side D-4050BR
IS82F6645453J	3*cyl & axel trap ext side D-4545PN
IS82F6645459J	3*cyl & axel trap ext side D-4545SN
IS82F6645457J	3*cyl & axel trap ext side D-4545BR
IS82F6650403J	3*cyl & axel trap ext side D-5040PN
IS82F6650409J	3*cyl & axel trap ext side D-5040SN
IS82F6650407J	3*cyl & axel trap ext side D-5040BR
IS82F6640553J	3*cyl & axel trap ext side D-4055PN
IS82F6640559J	3*cyl & axel trap ext side D-4055SN
IS82F6640557J	3*cyl & axel trap ext side D-4055BR
IS82F6645503J	3*cyl & axel trap ext side D-4550PN
IS82F6645509J	3*cyl & axel trap ext side D-4550SN
IS82F6645507J	3*cyl & axel trap ext side D-4550BR
IS82F6650453J	3*cyl & axel trap ext side D-5045PN
IS82F6650459J	3*cyl & axel trap ext side D-5045SN
IS82F6650457J	3*cyl & axel trap ext side D-5045BR
IS82F6655403J	3*cyl & axel trap ext side D-5540PN
IS82F6655409J	3*cyl & axel trap ext side D-5540SN
IS82F6655407J	3*cyl & axel trap ext side D-5540BR
IS82F6645553J	3*cyl & axel trap ext side D-4555PN
IS82F6645559J	3*cyl & axel trap ext side D-4555SN
IS82F6645557J	3*cyl & axel trap ext side D-4555BR
IS82F6650503J	3*cyl & axel trap ext side D-5050PN
IS82F6650509J	3*cyl & axel trap ext side D-5050SN
IS82F6650507J	3*cyl & axel trap ext side D-5050BR
IS82F6655453J	3*cyl & axel trap ext side D-5545PN
IS82F6655459J	3*cyl & axel trap ext side D-5545SN
IS82F6655457J	3*cyl & axel trap ext side D-5545BR


ISEO® Zero1

ELECTRONIC SOLUTIONS

A new range of electronic products by ISEO Group which totally changes the way to manage security and access control systems




Libra SMART
Electronic Knob Cylinder




Aries SMART
Electronic Trim Set




F9000 Electromechanical
Profile cylinder




Stylos SMART
Credential Reader




Thesis 2.0
High Security Solenoid Bolt




Push Sirena Panic Exit
Device with Acoustic Alarm



X1R SMART
Electromechanical Lock for
Armoured Doors



Multiblindo
Motion EXIT
Electronic Multipoint Lock



Trim Tronic
Electronic Access Device

presented by



M. Marcus Limited

Unit 7, Narrowboat Way, Dudley,
West Midlands, DY2 0XQ, England

Tel: 01384 457900

Fax: 01384 253687

Web: www.m-marcus.com

Email: iseosales@m-marcus.com



presented by



m.marcus
est. 1940

M. Marcus Limited
Unit 7, Narrowboat Way, Dudley,
West Midlands, DY2 0XQ, England

Tel: 01384 457900
email: iseosales@m-marcus.com

Web: www.m-marcus.com