

STUDIO RANGE CONCEALED FIXING

Telephone: 01384 457 900

Fax: 01384 243 312

<http://www.m-marcus.com>

Polished Brass

Polished Chrome

Satin Chrome

Satin Nickel

Polished Nickel



10 AMP Rocker Switches		CODE	£	CODE	£	CODE	£	CODE	£	CODE	£
	1 Gang 2 Way Switch	Y01.200.PB	17.77	Y02.200.PC	17.77	Y33.200.SC	17.77	Y05.200.SN	21.56	Y08.200.PN	21.56
	2 Gang 2 Way Switch	Y01.210.PB	21.74	Y02.210.PC	21.74	Y33.210.SC	21.74	Y05.210.SN	26.02	Y08.210.PN	26.02
	3 gang 2 Way Switch	Y01.220.PB	32.72	Y02.220.PC	32.72	Y33.220.SC	32.72	Y05.220.SN	35.81	Y08.220.PN	35.81
	4 gang 2 Way Switch	Y01.230.PB	57.29	Y02.230.PC	57.29	Y33.230.SC	57.29	Y05.230.SN	65.86	Y08.230.PN	65.86
	1 Gang Intermediate	Y01.201.PB	24.07	Y02.201.PC	24.07	Y33.201.SC	24.07	Y05.201.SN	27.12	Y08.201.PN	27.12
13 AMP Switched Sockets											
	Single 13 AMP socket	Y01.240.PBW	22.83	Y02.240.PCW	22.83	Y33.240.SCW	22.83	Y05.240.SNW	27.01	Y08.240.PNW	27.01
	Single 13 AMP socket	Y01.240.PBBK	22.83	Y02.240.PCBK	22.83	Y33.240.SCBK	22.83	Y05.240.SNBK	27.01	Y08.240.PNBK	27.01
	Double 13 AMP socket	Y01.250.PBW	31.00	Y02.250.PCW	31.00	Y33.250.SCW	31.00	Y05.250.SNW	36.49	Y08.250.PNW	36.49
	Double 13 AMP socket	Y01.250.PBBK	31.00	Y02.250.PCBK	31.00	Y33.250.SCBK	31.00	Y05.250.SNBK	36.49	Y08.250.PNBK	36.49
13 AMP Fused Spur Units (Connection Units)											
	Unswitched Spur	Y01.234.W	23.79	Y02.234.W	23.79	Y33.234.W	23.79	Y05.234.W	25.18	Y08.234.W	25.18
	Unswitched Spur	Y01.234.BK	23.79	Y02.234.BK	23.79	Y33.234.BK	23.79	Y05.234.BK	25.18	Y08.234.BK	25.18
	Switched Spur	Y01.235.PBW	32.42	Y02.235.PCW	32.42	Y33.235.SCW	32.42	Y05.235.SNW	35.49	Y08.235.PNW	35.49
	Switched Spur	Y01.235.PBBK	32.42	Y02.235.PCBK	32.42	Y33.235.SCBK	32.42	Y05.235.SNBK	35.49	Y08.235.PNBK	35.49
	Switched with neon	Y01.236.PBW	38.51	Y02.236.PCW	38.51	Y33.236.SCW	38.51	Y05.236.SNW	40.97	Y08.236.PNW	40.97
	Switched with neon	Y01.236.PBBK	38.51	Y02.236.PCBK	38.51	Y33.236.SCBK	38.51	Y05.236.SNBK	40.97	Y08.236.PNBK	40.97
	Switched with neon/cord	Y01.238.PBW	42.90	Y02.238.PCW	42.90	Y33.238.SCW	42.90	Y05.238.SNW	44.88	Y08.238.PNW	44.88
	Switched with neon/cord	Y01.238.PBBK	42.90	Y02.238.PCBK	42.90	Y33.238.SCBK	42.90	Y05.238.SNBK	44.88	Y08.238.PNBK	44.88
2 Way Dolly Switches											
	1 gang dolly	Y01.2400.PB	41.95	Y02.2400.PC	41.95	Y33.2400.SC	41.95	Y05.2400.SN	44.14	Y08.2400.PN	44.14
	2 gang dolly	Y01.2410.PB	58.31	Y02.2410.PC	58.31	Y33.2410.SC	58.31	Y05.2410.SN	61.77	Y08.2410.PN	61.77
	3 gang dolly	Y01.2420.PB	85.00	Y02.2420.PC	85.00	Y33.2420.SC	85.00	Y05.2420.SN	87.09	Y08.2420.PN	87.09
	4 gang dolly	Y01.2430.PB	103.71	Y02.2430.PC	103.71	Y33.2430.SC	103.71	Y05.2430.SN	105.04	Y08.2430.PN	105.04
	1 gang Intermediate	Y01.2401.PB	47.84	Y02.2401.PC	47.84	Y33.2401.SC	47.84	Y05.2401.SN	49.70	Y08.2401.PN	49.70
2 Way Push On/Off Dimmer Switches											
	1 gang dimmer (250 watts)	Y01.260/250	37.72	Y02.260/250	37.72	Y33.260/250	37.72	Y05.260/250	40.05	Y08.260/250	40.05
	1 gang dimmer (400 watts)	Y01.260/400	38.72	Y02.260/400	38.72	Y33.260/400	38.72	Y05.260/400	41.09	Y08.260/400	41.09
	2 gang dimmer (250 watts)	Y01.270/250	53.54	Y02.270/250	53.54	Y33.270/250	53.54	Y05.270/250	54.96	Y08.270/250	54.96
	2 gang dimmer (400 watts)	Y01.270/400	55.54	Y02.270/400	55.54	Y33.270/400	55.54	Y05.270/400	56.96	Y08.270/400	56.96
	3 gang dimmer (250 watts)	Y01.280/250	84.26	Y02.280/250	84.26	Y33.280/250	84.26	Y05.280/250	87.34	Y08.280/250	87.34
	3 gang dimmer (400 watts)	Y01.280/400	87.26	Y02.280/400	87.26	Y33.280/400	87.26	Y05.280/400	90.34	Y08.280/400	90.34
	4 gang dimmer (250 watts)	Y01.290/250	90.53	Y02.290/250	90.53	Y33.290/250	90.53	Y05.290/250	90.87	Y08.290/250	90.87
	4 gang dimmer (400 watts)	Y01.290/400	94.53	Y02.290/400	94.53	Y33.290/400	94.53	Y05.290/400	94.87	Y08.290/400	94.87
Low Voltage Dimmer Switches											
	1 gang Low Voltage 250VA	LVY01.260/250	40.30	LVY02.260/250	40.30	LVY33.260/250	40.30	LVY05.260/250	43.64	LVY08.260/250	43.64
	1 gang Low Voltage 400VA	LVY01.260/400	43.92	LVY02.260/400	43.92	LVY33.260/400	43.92	LVY05.260/400	47.26	LVY08.260/400	47.26
	2 gang Low Voltage 250VA	LVY01.270/250	55.16	LVY02.270/250	55.16	LVY33.270/250	55.16	LVY05.270/250	58.30	LVY08.270/250	58.30
	2 gang Low Voltage 400VA	LVY01.270/400	60.43	LVY02.270/400	60.43	LVY33.270/400	60.43	LVY05.270/400	62.65	LVY08.270/400	62.65
	3 gang Low Voltage 250VA	LVY01.280/250	86.52	LVY02.280/250	86.52	LVY33.280/250	86.52	LVY05.280/250	89.86	LVY08.280/250	89.86
	3 gang Low Voltage 400VA	LVY01.280/400	91.93	LVY02.280/400	91.93	LVY33.280/400	91.93	LVY05.280/400	98.54	LVY08.280/400	98.54
Trailing Edge Dimmers		* See notes on Back Cover									
	1 gang Trailing Edge	Y01.260 TED	57.72	Y02.260 TED	57.72	Y33.260 TED	57.72	Y05.260 TED	60.05	Y08.260 TED	60.05
	2 gang Trailing Edge	Y01.270 TED	83.54	Y02.270 TED	83.54	Y33.270 TED	83.54	Y05.270 TED	84.96	Y08.270 TED	84.96
	3 gang Trailing Edge	Y01.280 TED	129.26	Y02.280 TED	129.26	Y33.280 TED	129.26	Y05.280 TED	132.34	Y08.280 TED	132.34

Satin Brass		Polished Bronze		Matt Bronze		Antique Brass		Antique Pewter		Aged Pewter		Box Depth
												
CODE	£	CODE	£	CODE	£	CODE	£	CODE	£	CODE	£	
Y44.200.SB	23.78	Y07.200.BZ	23.78	Y09.200.DBZ	23.78	Y91.200.AB	23.78	Y96.200.PT	23.78	YAP200.AP	23.78	25
Y44.210.SB	28.25	Y07.210.BZ	28.25	Y09.210. DBZ	28.25	Y91.210.AB	28.25	Y96.210.PT	28.25	YAP210. AP	28.25	25
Y44.220.SB	38.03	Y07.220.BZ	38.03	Y09.220. DBZ	38.03	Y91.220.AB	38.03	Y96.220.PT	38.03	YAP220. AP	38.03	25
Y44.230.SB	68.08	Y07.230.BZ	68.08	Y09.230. DBZ	68.08	Y91.230.AB	68.08	Y96.230.PT	68.08	YAP230. AP	68.08	35
Y44.201.SB	29.35	Y07.201.BZ	29.35	Y09.201. DBZ	29.35	Y91.201.AB	29.35	Y96.201.PT	29.35	YAP201. AP	29.35	25
Y44.240.SBBK	29.23	Y07.240.BZBK	29.23	Y09.240. DBZ	29.23	Y91.240.ABBK	29.23	Y96.240.PTBK	29.23	YAP240.AP	29.23	35
Y44.250.SBBK	38.71	Y07.250.BZBK	38.71	Y09.250. DBZ	38.71	Y91.250.ABBK	38.71	Y96.250.PTBK	38.71	YAP250.AP	38.71	35
Y44.234.BK	27.41	Y07.234.BK	27.41	Y09.234. BK	27.41	Y91.234.BK	27.41	Y96.234.BK	27.41	YAP234.BK	27.41	35
Y44.235.SBBK	37.75	Y07.235.BZBK	37.75	Y09.235. DBZ	37.75	Y91.235.ABBK	37.75	Y96.235.PTBK	37.75	YAP235. AP	37.75	35
Y44.236.SBBK	43.20	Y07.236.BZBK	43.20	Y09.236. DBZ	43.20	Y91.236.ABBK	43.20	Y96.236.PTBK	43.20	YAP236. AP	43.20	35
Y44.238.SBBK	47.10	Y07.238.BZBK	47.10	Y09.238. DBZ	47.10	Y91.238.ABBK	47.10	Y96.238.PTBK	47.10	YAP238. AP	47.10	35
Y44.2400.SB	46.37	Y07.2400.BZ	46.37	Y09.2400.DBZ	46.37	Y91.2400.AB	46.37	Y96.2400.PT	46.37	YAP2400.AP	46.37	35
Y44.2410.SB	63.00	Y07.2410.BZ	63.00	Y09.2410.DBZ	63.00	Y91.2410.AB	63.00	Y96.2410.PT	63.00	YAP2410.AP	63.00	35
Y44.2420.SB	89.31	Y07.2420.BZ	89.31	Y09.2420.DBZ	89.31	Y91.2420.AB	89.31	Y96.2420.PT	89.31	YAP2420.AP	89.31	35
Y44.2430.SB	106.27	Y07.2430.BZ	106.27	Y09.2430.DBZ	106.27	Y91.2430.AB	106.27	Y96.2430.PT	106.27	YAP2430.AP	106.27	35
Y44.2401.SB	51.82	Y07.2401.BZ	51.82	Y09.2401.DBZ	51.82	Y91.2401.AB	51.82	Y96.2401.PT	51.82	YAP2401.AP	51.82	35
Y44.260/250	42.27	Y07.260/250	42.27	Y09.260/250	42.27	Y91.260/250	42.27	Y96.260/250	42.27	YAP260/250	42.27	35
Y44.260/400	43.27	Y07.260/400	43.27	Y09.260/400	43.27	Y91.260/400	43.27	Y96.260/400	43.27	YAP260/400	43.27	35
Y44.270/250	57.18	Y07.270/250	57.18	Y09.270/250	57.18	Y91.270/250	57.18	Y96.270/250	57.18	YAP270/250	57.18	35
Y44.270/400	59.18	Y07.270/400	59.18	Y09.270/400	59.18	Y91.270/400	59.18	Y96.270/400	59.18	YAP270/400	59.18	35
Y44.280/250	89.52	Y07.280/250	89.52	Y09.280/250	89.52	Y91.280/250	89.52	Y96.280/250	89.52	YAP280/250	89.52	35
Y44.280/400	92.54	Y07.280/400	92.54	Y09.280/400	92.54	Y91.280/400	92.54	Y96.280/400	92.54	YAP280/400	92.54	35
Y44.290/250	93.20	Y07.290/250	93.20	Y09.290/250	93.20	Y91.290/250	93.20	Y96.290/250	93.20	YAP290/250	93.20	35
Y44.290/400	97.20	Y07.290/400	97.20	Y09.290/400	97.20	Y91.290/400	97.20	Y96.290/400	97.20	YAP290/400	97.20	35
LV Y44.260/250	45.86	LV Y07.260/250	45.86	LV Y09.260/250	45.86	LV Y91.260/250	45.86	LV Y96.260/250	45.86	LV YAP260/250	45.86	35
LV Y44.260/400	49.47	LV Y07.260/400	49.47	LV Y09.260/400	49.47	LV Y91.260/400	49.47	LV Y96.260/400	49.47	LV YAP260/400	49.47	35
LV Y44.270/250	61.64	LV Y07.270/250	61.64	LV Y09.270/250	61.64	LV Y91.270/250	61.64	LV Y96.270/250	61.64	LV YAP270/250	61.64	35
LV Y44.270/400	65.99	LV Y07.270/400	65.99	LV Y09.270/400	65.99	LV Y91.270/400	65.99	LV Y96.270/400	65.99	LV YAP270/400	65.99	35
LV Y44.280/250	92.09	LV Y07.280/250	92.09	LV Y09.280/250	92.09	LV Y91.280/250	92.09	LV Y96.280/250	92.09	LV YAP280/250	92.09	35
LV Y44.280/400	100.77	LV Y07.280/400	100.77	LV Y09.280/400	100.77	LV Y91.280/400	100.77	LV Y96.280/400	100.77	LV YAP280/400	100.77	35
Y44.260 TED	62.27	Y07.260 TED	62.27	Y09.260 TED	62.27	Y91.260 TED	62.27	Y96.260 TED	62.27	YAP260 TED	62.27	35
Y44.270 TED	87.18	Y07.270 TED	87.18	Y09.270 TED	87.18	Y91.270 TED	87.18	Y96.270 TED	87.18	YAP270 TED	87.18	35
Y44.280 TED	134.52	Y07.280 TED	134.52	Y09.280 TED	134.52	Y91.280 TED	134.52	Y96.280 TED	134.52	YAP280 TED	134.52	35

STUDIO RANGE CONCEALED FIXING

Telephone: 01384 457 900

Fax: 01384 243 312

<http://www.m-marcus.com>

Polished Brass

Polished Chrome

Satin Chrome

Satin Nickel

Polished Nickel



20 AMP D.P. Switches		CODE	£	CODE	£	CODE	£	CODE	£	CODE	£
	20 AMP D.P. Switch	Y01.205.PB	25.00	Y02.205.PC	25.00	Y33.205.SC	25.00	Y05.205.SN	26.54	Y08.205.PN	26.54
	20 AMP Switch with Neon	Y01.206.PB	29.99	Y02.206.PC	29.99	Y33.206.SC	29.99	Y05.206.SN	31.91	Y08.206.PN	31.91
45 AMP Cooker Switches											
	45 AMP Switch (single plate)	Y01.263.PB	38.08	Y02.263.PC	38.08	Y33.263.SC	38.08	Y05.263.SN	39.03	Y08.263.PN	39.03
	45 AMP cooker unit-13A socket white insert	Y01.262.PBW	57.18	Y02.262.PCW	57.18	Y33.262.SCW	57.18	Y05.262.SNW	58.67	Y08.262.PNW	58.67
	45 AMP cooker unit-13A socket black insert	Y01.262.PBBK	57.18	Y02.262.PCBK	57.18	Y33.262.SCBK	57.18	Y05.262.SNBK	58.67	Y08.262.PNBK	58.67
Triple Pole Fan Isolating Switch											
	6 AMP switch	Y01.2990.PB	27.80	Y02.2990.PC	27.80	Y33.2990.SC	27.80	Y05.2990.SN	32.55	Y08.2990.PN	32.55
Round Pin Sockets Unswitched											
	5 AMP 3 pin white insert	Y01.282.W	28.76	Y02.282.W	28.76	Y33.282.W	28.76	Y05.282.W	29.48	Y08.282.W	29.48
	5 AMP 3 pin black insert	Y01.282.BK	28.76	Y02.282.BK	28.76	Y33.282.BK	28.76	Y05.282.BK	29.48	Y08.282.BK	29.48
Shaver Socket Dual Output											
	Output voltage 110/240V white insert	Y01.285.W	86.81	Y02.285.W	86.81	Y33.285.W	86.81	Y05.285.W	88.93	Y08.285.W	88.93
	Output voltage 110/240V black insert	Y01.285.BK	86.81	Y02.285.BK	86.81	Y33.285.BK	86.81	Y05.285.BK	88.93	Y08.285.BK	88.93
TV/Coaxial Sockets											
	Single Non-Isolated white insert	Y01.221.W	25.33	Y02.221.W	25.33	Y33.221.W	25.33	Y05.221.W	27.01	Y08.221.W	27.01
	Single Non-Isolated black insert	Y01.221.BK	25.33	Y02.221.BK	25.33	Y33.221.BK	25.33	Y05.221.BK	27.01	Y08.221.BK	27.01
	Single Isolated white insert	Y01.223.W	28.18	Y02.223.W	28.18	Y33.223.W	28.18	Y05.223.W	29.55	Y08.223.W	29.55
	Single Isolated black insert	Y01.223.BK	28.18	Y02.223.BK	28.18	Y33.223.BK	28.18	Y05.223.BK	29.55	Y08.223.BK	29.55
	Twin Non-Isolated white insert	Y01.222.W	31.35	Y02.222.W	31.35	Y33.222.W	31.35	Y05.222.W	34.03	Y08.222.W	34.03
	Twin Non-Isolated black insert	Y01.222.BK	31.35	Y02.222.BK	31.35	Y33.222.BK	31.35	Y05.222.BK	34.03	Y08.222.BK	34.03
	TV/FM Diplexed white insert	Y01.224.W	36.96	Y02.224.W	36.96	Y33.224.W	36.96	Y05.224.W	38.35	Y08.224.W	38.35
	TV/FM Diplexed black insert	Y01.224.BK	36.96	Y02.224.BK	36.96	Y33.224.BK	36.96	Y05.224.BK	38.35	Y08.224.BK	38.35
Satellite Sockets											
	Satellite Socket white insert	Y01.225.W	25.33	Y02.225.W	25.33	Y33.225.W	25.33	Y05.225.W	27.38	Y08.225.W	27.38
	Satellite Socket black insert	Y01.225.BK	25.33	Y02.225.BK	25.33	Y33.225.BK	25.33	Y05.225.BK	27.38	Y08.225.BK	27.38
	Satellite/TV Socket white insert	Y01.226.W	30.64	Y02.226.W	30.64	Y33.226.W	30.64	Y05.226.W	34.87	Y08.226.W	34.87
	Satellite/TV Socket black insert	Y01.226.BK	30.64	Y02.226.BK	30.64	Y33.226.BK	30.64	Y05.226.BK	34.87	Y08.226.BK	34.87
Telephone and Data Sockets											
	1 Gang Secondary Line white insert	Y01.266.W	26.47	Y02.266.W	26.47	Y33.266.W	26.47	Y05.266.W	28.01	Y08.266.W	28.01
	1 Gang Secondary Line black insert	Y01.266.BK	26.47	Y02.266.BK	26.47	Y33.266.BK	26.47	Y05.266.BK	28.01	Y08.266.BK	28.01
	1 Gang Master Line white insert	Y01.267.W	28.72	Y02.267.W	28.72	Y33.267.W	28.72	Y05.267.W	30.03	Y08.267.W	30.03
	1 Gang Master Line black insert	Y01.267.BK	28.72	Y02.267.BK	28.72	Y33.267.BK	28.72	Y05.267.BK	30.03	Y08.267.BK	30.03
	2 Gang Secondary line white Insert	Y01.256.W	40.95	Y02.256.W	40.95	Y33.256.W	40.95	Y05.256.W	43.08	Y08.256.W	43.08
	2 Gang Secondary line black Insert	Y01.256.BK	40.95	Y02.256.BK	40.95	Y33.256.BK	40.95	Y05.256.BK	43.08	Y08.256.BK	43.08
	2 Gang Master line white Insert	Y01.257.W	44.54	Y02.257.W	44.54	Y33.257.W	44.54	Y05.257.W	46.48	Y08.257.W	46.48
	2 Gang Master line black Insert	Y01.257.BK	44.54	Y02.257.BK	44.54	Y33.257.BK	44.54	Y05.257.BK	46.48	Y08.257.BK	46.48
	1 Gang RJ45 white Insert	Y01.268.W	27.10	Y02.268.W	27.10	Y33.268.W	27.10	Y05.268.W	29.30	Y08.268.W	29.30
	1 Gang RJ45 black Insert	Y01.268.BK	27.10	Y02.268.BK	27.10	Y33.268.BK	27.10	Y05.268.BK	29.30	Y08.268.BK	29.30
	1 Gang RJ11 white Insert	Y01.269.W	27.10	Y02.269.W	27.10	Y33.269.W	27.10	Y05.269.W	29.30	Y08.269.W	29.30
	1 Gang RJ11 black Insert	Y01.269.BK	27.10	Y02.269.BK	27.10	Y33.269.BK	27.10	Y05.269.BK	29.30	Y08.269.BK	29.30
	2 Gang RJ45 white Insert	Y01.258.W	40.95	Y02.258.W	40.95	Y33.258.W	40.95	Y05.258.W	43.08	Y08.258.W	43.08
	2 Gang RJ45 black Insert	Y01.258.BK	40.95	Y02.258.BK	40.95	Y33.258.BK	40.95	Y05.258.BK	43.08	Y08.258.BK	43.08
Blanking Plates											
	Single Section Blank Plate	Y01.231	13.87	Y02.231	13.87	Y33.231	13.87	Y05.231	15.70	Y08.231	15.70
	Double Section Blank Plate	Y01.232	18.61	Y02.232	18.61	Y33.232	18.61	Y05.232	19.90	Y08.232	19.90

Satin Brass		Polished Bronze		Matt Bronze		Antique Brass		Antique Pewter		Aged Pewter		Box Depth
												
CODE	£	CODE	£	CODE	£	CODE	£	CODE	£	CODE	£	
Y44.205.SB	28.77	Y07.205.BZ	28.77	Y09.205.DBZ	28.77	Y91.205.AB	28.77	Y96.205.PT	28.77	YAP.205.AP	28.77	35
Y44.206.SB	34.14	Y07.206.BZ	34.14	Y09.206.DBZ	34.14	Y91.206.AB	34.14	Y96.206.PT	34.14	YAP.206.AP	34.14	35
Y44.263.SB	41.25	Y07.263.BZ	41.25	Y09.263.DBZ	41.25	Y91.263.AB	41.25	Y96.263.PT	41.25	YAP.263.AP	41.25	48
Y44.262.SBBK	60.90	Y07.262.BZBK	60.90	Y09.262.DBZ	60.90	Y91.262.ABBK	60.90	Y96.262.PTBK	60.90	YAP.262.AP	60.90	48
Y44.2990.SB	34.78	Y07.2990.BZ	34.78	Y09.2990.DBZ	34.78	Y91.2990.AB	34.78	Y96.2990.PT	34.78	YAP.2990.AP	34.78	25
Y44.282.BK	31.60	Y07.282.BK	31.60	Y09.282.BK	31.60	Y91.282.BK	31.60	Y96.282.BK	31.60	YAP.282.BK	31.60	35
Y44.285.BK	91.05	Y07.285.BK	91.05	Y09.285.BK	91.05	Y91.285.BK	91.05	Y96.285.BK	91.05	YAP.285.BK	91.05	55
Y44.221.BK	29.23	Y07.221.BK	29.23	Y09.221.BK	29.23	Y91.221.BK	29.23	Y96.221.BK	29.23	YAP.221.BK	29.23	35
Y44.223.BK	31.77	Y07.223.BK	31.77	Y09.223.BK	31.77	Y91.223.BK	31.77	Y96.223.BK	31.77	YAP.223.BK	31.77	35
Y44.222.BK	36.26	Y07.222.BK	36.26	Y09.222.BK	36.26	Y91.222.BK	36.26	Y96.222.BK	36.26	YAP.222.BK	36.26	35
Y44.224.BK	39.57	Y07.224.BK	39.57	Y09.224.BK	39.57	Y91.224.BK	39.57	Y96.224.BK	39.57	YAP.224.BK	39.57	35
Y44.225.BK	29.61	Y07.225.BK	29.61	Y09.225.BK	29.61	Y91.225.BK	29.61	Y96.225.BK	29.61	YAP.225.BK	29.61	35
Y44.226.BK	36.99	Y07.226.BK	36.99	Y09.226.BK	36.99	Y91.226.BK	36.99	Y96.226.BK	36.99	YAP.226.BK	36.99	35
Y44.266.BK	30.24	Y07.266.BK	30.24	Y09.266.BK	30.24	Y91.266.BK	30.24	Y96.266.BK	30.24	YAP.266.BK	30.24	35
Y44.267.BK	32.26	Y07.267.BK	32.26	Y09.267.BK	32.26	Y91.267.BK	32.26	Y96.267.BK	32.26	YAP.267.BK	32.26	35
Y44.256.BK	45.31	Y07.256.BK	45.31	Y09.256.BK	45.31	Y91.256.BK	45.31	Y96.256.BK	45.31	YAP.256.BK	45.31	35
Y44.257.BK	48.71	Y07.257.BK	48.71	Y09.257.BK	48.71	Y91.257.BK	48.71	Y96.257.BK	48.71	YAP.257.BK	48.71	35
Y44.268.BK	31.52	Y07.268.BK	31.52	Y09.268.BK	31.52	Y91.268.BK	31.52	Y96.268.BK	31.52	YAP.268.BK	31.52	35
Y44.269.BK	31.52	Y07.269.BK	31.52	Y09.269.BK	31.52	Y91.269.BK	31.52	Y96.269.BK	31.52	YAP.269.BK	31.52	35
Y44.258.BK	45.31	Y07.258.BK	45.31	Y09.258.BK	45.31	Y91.258.BK	45.31	Y96.258.BK	45.31	YAP.258.BK	45.31	35
Y44.231	17.92	Y07.231	17.92	Y09.231	17.92	Y91.231	17.92	Y96.231	17.92	YAP.231	17.92	~
Y44.232	22.12	Y07.232	22.12	Y09.232	22.12	Y91.232	22.12	Y96.232	22.12	YAP.232	22.12	~